


Пас болт с къса резба, DIN 610, 8.8, ВІ.

DIN 610

Форма:	-	Покритие:	ВІ.
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	8.8	Тип продукт:	по заявка

											
M	8	10	12	14	16	20	24	30	36		
k	5.3	6.4	7.5	8.8	10	12.5	15	19	22		
s	13	16	18	21	24	30	36	46	55		
ds	9	11	13	15	17	21	25	32	38		
b1	11.5	13.5	15.5	17	19	22.5	25.5	-	-	l≤50 mm - b1	
b2	13.5	15.5	17.5	19	21	24.5	28.5	34	40	l≤150 mm - b2	
b3	18.5	20.5	22.5	24	26	29.5	33.5	39	45	l>150 mm - b3	

* Всички размери са в милиметри /mm/!


Артикулен номер	Размер	Опаковка /бр./
00610 8800 8 25	M 8 x 25	25
00610 8800 8 30	M 8 x 30	25
00610 8800 8 35	M 8 x 35	25
00610 8800 8 40	M 8 x 40	25
00610 8800 8 45	M 8 x 45	25
00610 8800 8 50	M 8 x 50	25
00610 8800 8 60	M 8 x 60	25
00610 8800 8 70	M 8 x 70	25
00610 8800 8 80	M 8 x 80	25
00610 8800 10 30	M 10 x 30	25
00610 8800 10 35	M 10 x 35	25
00610 8800 10 40	M 10 x 40	25
00610 8800 10 45	M 10 x 45	25
00610 8800 10 50	M 10 x 50	25
00610 8800 10 55	M 10 x 55	25
00610 8800 10 60	M 10 x 60	25
00610 8800 10 65	M 10 x 65	25
00610 8800 10 70	M 10 x 70	25
00610 8800 10 75	M 10 x 75	25
00610 8800 10 80	M 10 x 80	25
00610 8800 10 90	M 10 x 90	25
00610 8800 10 100	M 10 x 100	25
00610 8800 12 30	M 12 x 30	25
00610 8800 12 35	M 12 x 35	25
00610 8800 12 40	M 12 x 40	25

Артикулен номер	Размер	Опаковка /бр./
00610 8800 12 45	M 12 x 45	25
00610 8800 12 50	M 12 x 50	25
00610 8800 12 55	M 12 x 55	25
00610 8800 12 60	M 12 x 60	25
00610 8800 12 65	M 12 x 65	25
00610 8800 12 70	M 12 x 70	25
00610 8800 12 75	M 12 x 75	10
00610 8800 12 80	M 12 x 80	10
00610 8800 12 90	M 12 x 90	10
00610 8800 12 100	M 12 x 100	10
00610 8800 14 35	M 14 x 35	10
00610 8800 14 40	M 14 x 40	10
00610 8800 14 45	M 14 x 45	10
00610 8800 14 50	M 14 x 50	10
00610 8800 14 55	M 14 x 55	10
00610 8800 14 60	M 14 x 60	10
00610 8800 14 65	M 14 x 65	10
00610 8800 14 70	M 14 x 70	10
00610 8800 14 80	M 14 x 80	10
00610 8800 16 35	M 16 x 35	10
00610 8800 16 40	M 16 x 40	10
00610 8800 16 45	M 16 x 45	10
00610 8800 16 50	M 16 x 50	10
00610 8800 16 55	M 16 x 55	10
00610 8800 16 60	M 16 x 60	10

Пас болт с къса резба, DIN 610, 8.8, В1.

DIN 610

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	8.8	Тип продукт:	по заявка



M	8	10	12	14	16	20	24	30	36	
k	5.3	6.4	7.5	8.8	10	12.5	15	19	22	
s	13	16	18	21	24	30	36	46	55	
ds	9	11	13	15	17	21	25	32	38	
b1	11.5	13.5	15.5	17	19	22.5	25.5	-	-	≤50 mm - b1
b2	13.5	15.5	17.5	19	21	24.5	28.5	34	40	≤150 mm - b2
b3	18.5	20.5	22.5	24	26	29.5	33.5	39	45	>150 mm - b3

* Всички размери са в милиметри /mm/!


Артикулен номер	Размер	Опаковка /бр./
00610 8800 16 65	M 16 x 65	10
00610 8800 16 70	M 16 x 70	10
00610 8800 16 75	M 16 x 75	10
00610 8800 16 80	M 16 x 80	10
00610 8800 16 85	M 16 x 85	10
00610 8800 16 90	M 16 x 90	10
00610 8800 16 100	M 16 x 100	10
00610 8800 16 110	M 16 x 110	10
00610 8800 16 120	M 16 x 120	10
00610 8800 20 40	M 20 x 40	10
00610 8800 20 45	M 20 x 45	10
00610 8800 20 50	M 20 x 50	10
00610 8800 20 55	M 20 x 55	10
00610 8800 20 60	M 20 x 60	10
00610 8800 20 65	M 20 x 65	10
00610 8800 20 70	M 20 x 70	10
00610 8800 20 75	M 20 x 75	10
00610 8800 20 80	M 20 x 80	1
00610 8800 20 85	M 20 x 85	1
00610 8800 20 90	M 20 x 90	1
00610 8800 20 100	M 20 x 100	1
00610 8800 20 110	M 20 x 110	1
00610 8800 20 120	M 20 x 120	1
00610 8800 20 130	M 20 x 130	1
00610 8800 20 140	M 20 x 140	1

Артикулен номер	Размер	Опаковка /бр./
00610 8800 20 150	M 20 x 150	1
00610 8800 24 60	M 24 x 60	1
00610 8800 24 65	M 24 x 65	1
00610 8800 24 70	M 24 x 70	1
00610 8800 24 75	M 24 x 75	1
00610 8800 24 80	M 24 x 80	1
00610 8800 24 85	M 24 x 85	1
00610 8800 24 90	M 24 x 90	1
00610 8800 24 100	M 24 x 100	1
00610 8800 24 110	M 24 x 110	1
00610 8800 24 120	M 24 x 120	1
00610 8800 24 130	M 24 x 130	1
00610 8800 24 140	M 24 x 140	1
00610 8800 24 150	M 24 x 150	1
00610 8800 30 70	M 30 x 70	1
00610 8800 30 75	M 30 x 75	1
00610 8800 30 80	M 30 x 80	1
00610 8800 30 85	M 30 x 85	1
00610 8800 30 90	M 30 x 90	1
00610 8800 30 95	M 30 x 95	1
00610 8800 30 100	M 30 x 100	1
00610 8800 30 110	M 30 x 110	1
00610 8800 30 120	M 30 x 120	1
00610 8800 30 130	M 30 x 130	1
00610 8800 30 140	M 30 x 140	1

Пас болт с къса резба, DIN 610, 8.8, V1.

DIN 610

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	8.8	Тип продукт:	по заявка



M	8	10	12	14	16	20	24	30	36	
k	5.3	6.4	7.5	8.8	10	12.5	15	19	22	
s	13	16	18	21	24	30	36	46	55	
ds	9	11	13	15	17	21	25	32	38	
b1	11.5	13.5	15.5	17	19	22.5	25.5	-	-	≤50 mm - b1
b2	13.5	15.5	17.5	19	21	24.5	28.5	34	40	≤150 mm - b2
b3	18.5	20.5	22.5	24	26	29.5	33.5	39	45	>150 mm - b3

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00610 8800 30 150	М 30 x 150	1
00610 8800 30 160	М 30 x 160	1
00610 8800 30 170	М 30 x 170	1
00610 8800 30 180	М 30 x 180	1
00610 8800 30 190	М 30 x 190	1
00610 8800 30 200	М 30 x 200	1

Артикулен номер	Размер	Опаковка /бр./
-----------------	--------	----------------