


Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 014 3	M 1,4 x 3	100
00912 1200 014 4	M 1,4 x 4	100
00912 1200 014 5	M 1,4 x 5	100
00912 1200 014 6	M 1,4 x 6	100
00912 1200 014 10	M 1,4 x 10	100
00912 1200 016 3	M 1,6 x 3	100
00912 1200 016 4	M 1,6 x 4	100
00912 1200 016 5	M 1,6 x 5	100
00912 1200 016 6	M 1,6 x 6	100
00912 1200 018 3	M 1,8 x 3	100
00912 1200 018 6	M 1,8 x 6	100
00912 1200 2 3	M 2 x 3	100
00912 1200 2 4	M 2 x 4	100
00912 1200 2 5	M 2 x 5	100
00912 1200 2 6	M 2 x 6	100
00912 1200 2 8	M 2 x 8	100
00912 1200 2 10	M 2 x 10	100
00912 1200 2 12	M 2 x 12	100
00912 1200 25 4	M 2,5 x 4	100
00912 1200 25 5	M 2,5 x 5	100
00912 1200 25 6	M 2,5 x 6	100
00912 1200 25 8	M 2,5 x 8	100


Артикулен номер	Размер	Опаковка /бр./
00912 1200 25 10	M 2,5 x 10	100
00912 1200 25 12	M 2,5 x 12	100
00912 1200 25 16	M 2,5 x 16	100
00912 1200 3 4	M 3 x 4	500
00912 1200 3 5	M 3 x 5	500
00912 1200 3 6	M 3 x 6	500
00912 1200 3 8	M 3 x 8	500
00912 1200 3 10	M 3 x 10	500
00912 1200 3 12	M 3 x 12	500
00912 1200 3 14	M 3 x 14	500
00912 1200 3 16	M 3 x 16	500
00912 1200 3 18	M 3 x 18	500
00912 1200 3 20	M 3 x 20	500
00912 1200 3 22	M 3 x 22	500
00912 1200 3 25	M 3 x 25	500
00912 1200 3 30	M 3 x 30	500
00912 1200 3 35	M 3 x 35	500
00912 1200 3 40	M 3 x 40	500
00912 1200 3 45	M 3 x 45	500
00912 1200 3 50	M 3 x 50	500
00912 1200 3 55	M 3 x 55	500
00912 1200 3 60	M 3 x 60	500

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 014 3	M 1,4 x 3	100
00912 1200 014 4	M 1,4 x 4	100
00912 1200 014 5	M 1,4 x 5	100
00912 1200 014 6	M 1,4 x 6	100
00912 1200 014 10	M 1,4 x 10	100
00912 1200 016 3	M 1,6 x 3	100
00912 1200 016 4	M 1,6 x 4	100
00912 1200 016 5	M 1,6 x 5	100
00912 1200 016 6	M 1,6 x 6	100
00912 1200 018 3	M 1,8 x 3	100
00912 1200 018 6	M 1,8 x 6	100
00912 1200 2 3	M 2 x 3	100
00912 1200 2 4	M 2 x 4	100
00912 1200 2 5	M 2 x 5	100
00912 1200 2 6	M 2 x 6	100
00912 1200 2 8	M 2 x 8	100
00912 1200 2 10	M 2 x 10	100
00912 1200 2 12	M 2 x 12	100
00912 1200 25 4	M 2,5 x 4	100
00912 1200 25 5	M 2,5 x 5	100
00912 1200 25 6	M 2,5 x 6	100
00912 1200 25 8	M 2,5 x 8	100


Артикулен номер	Размер	Опаковка /бр./
00912 1200 25 10	M 2,5 x 10	100
00912 1200 25 12	M 2,5 x 12	100
00912 1200 25 16	M 2,5 x 16	100
00912 1200 3 4	M 3 x 4	500
00912 1200 3 5	M 3 x 5	500
00912 1200 3 6	M 3 x 6	500
00912 1200 3 8	M 3 x 8	500
00912 1200 3 10	M 3 x 10	500
00912 1200 3 12	M 3 x 12	500
00912 1200 3 14	M 3 x 14	500
00912 1200 3 16	M 3 x 16	500
00912 1200 3 18	M 3 x 18	500
00912 1200 3 20	M 3 x 20	500
00912 1200 3 22	M 3 x 22	500
00912 1200 3 25	M 3 x 25	500
00912 1200 3 30	M 3 x 30	500
00912 1200 3 35	M 3 x 35	500
00912 1200 3 40	M 3 x 40	500
00912 1200 3 45	M 3 x 45	500
00912 1200 3 50	M 3 x 50	500
00912 1200 3 55	M 3 x 55	500
00912 1200 3 60	M 3 x 60	500

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 4 5	M 4 x 5	500
00912 1200 4 6	M 4 x 6	500
00912 1200 4 8	M 4 x 8	500
00912 1200 4 10	M 4 x 10	500
00912 1200 4 12	M 4 x 12	500
00912 1200 4 14	M 4 x 14	500
00912 1200 4 16	M 4 x 16	500
00912 1200 4 18	M 4 x 18	500
00912 1200 4 20	M 4 x 20	500
00912 1200 4 22	M 4 x 22	500
00912 1200 4 25	M 4 x 25	500
00912 1200 4 30	M 4 x 30	500
00912 1200 4 35	M 4 x 35	500
00912 1200 4 40	M 4 x 40	500
00912 1200 4 45	M 4 x 45	500
00912 1200 4 50	M 4 x 50	500
00912 1200 4 55	M 4 x 55	200
00912 1200 4 60	M 4 x 60	200
00912 1200 4 65	M 4 x 65	200
00912 1200 4 70	M 4 x 70	200
00912 1200 4 75	M 4 x 75	500
00912 1200 4 80	M 4 x 80	200


Артикулен номер	Размер	Опаковка /бр./
00912 1200 4 85	M 4 x 85	ask
00912 1200 4 90	M 4 x 90	200
00912 1200 4 95	M 4 x 95	ask
00912 1200 4 100	M 4 x 100	200
00912 1200 4 110	M 4 x 110	200
00912 1200 4 120	M 4 x 120	200
00912 1200 5 5	M 5 x 5	ask
00912 1200 5 6	M 5 x 6	500
00912 1200 5 8	M 5 x 8	500
00912 1200 5 10	M 5 x 10	500
00912 1200 5 12	M 5 x 12	500
00912 1200 5 14	M 5 x 14	500
00912 1200 5 16	M 5 x 16	500
00912 1200 5 18	M 5 x 18	500
00912 1200 5 20	M 5 x 20	500
00912 1200 5 22	M 5 x 22	500
00912 1200 5 25	M 5 x 25	500
00912 1200 5 30	M 5 x 30	500
00912 1200 5 35	M 5 x 35	200
00912 1200 5 40	M 5 x 40	200
00912 1200 5 45	M 5 x 45	200
00912 1200 5 50	M 5 x 50	200

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 5 55	M 5 x 55	200
00912 1200 5 60	M 5 x 60	200
00912 1200 5 65	M 5 x 65	200
00912 1200 5 70	M 5 x 70	200
00912 1200 5 75	M 5 x 75	200
00912 1200 5 80	M 5 x 80	200
00912 1200 5 85	M 5 x 85	200
00912 1200 5 90	M 5 x 90	200
00912 1200 5 95	M 5 x 95	200
00912 1200 5 100	M 5 x 100	200
00912 1200 5 105	M 5 x 105	100
00912 1200 5 110	M 5 x 110	100
00912 1200 5 115	M 5 x 115	100
00912 1200 5 120	M 5 x 120	100
00912 1200 5 125	M 5 x 125	100
00912 1200 5 130	M 5 x 130	100
00912 1200 5 135	M 5 x 135	100
00912 1200 5 140	M 5 x 140	100
00912 1200 5 145	M 5 x 145	100
00912 1200 5 150	M 5 x 150	100
00912 1200 5 155	M 5 x 155	100
00912 1200 5 160	M 5 x 160	100


Артикулен номер	Размер	Опаковка /бр./
00912 1200 5 165	M 5 x 165	100
00912 1200 5 170	M 5 x 170	100
00912 1200 5 175	M 5 x 175	100
00912 1200 5 180	M 5 x 180	100
00912 1200 5 190	M 5 x 190	100
00912 1200 5 200	M 5 x 200	100
00912 1200 5 210	M 5 x 210	100
00912 1200 5 220	M 5 x 220	100
00912 1200 5 230	M 5 x 230	100
00912 1200 5 240	M 5 x 240	100
00912 1200 6 6	M 6 x 6	500
00912 1200 6 8	M 6 x 8	500
00912 1200 6 10	M 6 x 10	500
00912 1200 6 12	M 6 x 12	500
00912 1200 6 14	M 6 x 14	500
00912 1200 6 16	M 6 x 16	500
00912 1200 6 18	M 6 x 18	500
00912 1200 6 20	M 6 x 20	500
00912 1200 6 22	M 6 x 22	500
00912 1200 6 25	M 6 x 25	500
00912 1200 6 30	M 6 x 30	500
00912 1200 6 35	M 6 x 35	200

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 6 40	M 6 x 40	200
00912 1200 6 45	M 6 x 45	200
00912 1200 6 50	M 6 x 50	200
00912 1200 6 55	M 6 x 55	200
00912 1200 6 60	M 6 x 60	200
00912 1200 6 65	M 6 x 65	200
00912 1200 6 70	M 6 x 70	200
00912 1200 6 75	M 6 x 75	200
00912 1200 6 80	M 6 x 80	200
00912 1200 6 85	M 6 x 85	200
00912 1200 6 90	M 6 x 90	100
00912 1200 6 95	M 6 x 95	100
00912 1200 6 100	M 6 x 100	100
00912 1200 6 105	M 6 x 105	100
00912 1200 6 110	M 6 x 110	100
00912 1200 6 115	M 6 x 115	100
00912 1200 6 120	M 6 x 120	100
00912 1200 6 125	M 6 x 125	100
00912 1200 6 130	M 6 x 130	100
00912 1200 6 135	M 6 x 135	100
00912 1200 6 140	M 6 x 140	100
00912 1200 6 145	M 6 x 145	100


Артикулен номер	Размер	Опаковка /бр./
00912 1200 6 150	M 6 x 150	100
00912 1200 6 155	M 6 x 155	100
00912 1200 6 160	M 6 x 160	100
00912 1200 6 165	M 6 x 165	100
00912 1200 6 170	M 6 x 170	100
00912 1200 6 175	M 6 x 175	100
00912 1200 6 180	M 6 x 180	100
00912 1200 6 185	M 6 x 185	100
00912 1200 6 190	M 6 x 190	100
00912 1200 6 200	M 6 x 200	100
00912 1200 6 210	M 6 x 210	100
00912 1200 6 220	M 6 x 220	100
00912 1200 6 230	M 6 x 230	100
00912 1200 6 240	M 6 x 240	100
00912 1200 6 250	M 6 x 250	100
00912 1200 6 260	M 6 x 260	100
00912 1200 6 270	M 6 x 270	100
00912 1200 6 280	M 6 x 280	100
00912 1200 6 290	M 6 x 290	100
00912 1200 6 300	M 6 x 300	100
00912 1200 8 8	M 8 x 8	200
00912 1200 8 10	M 8 x 10	200

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 8 12	M 8 x 12	200
00912 1200 8 14	M 8 x 14	200
00912 1200 8 16	M 8 x 16	200
00912 1200 8 18	M 8 x 18	200
00912 1200 8 20	M 8 x 20	200
00912 1200 8 22	M 8 x 22	200
00912 1200 8 25	M 8 x 25	200
00912 1200 8 30	M 8 x 30	200
00912 1200 8 35	M 8 x 35	200
00912 1200 8 40	M 8 x 40	200
00912 1200 8 45	M 8 x 45	200
00912 1200 8 50	M 8 x 50	200
00912 1200 8 55	M 8 x 55	200
00912 1200 8 60	M 8 x 60	200
00912 1200 8 65	M 8 x 65	200
00912 1200 8 70	M 8 x 70	200
00912 1200 8 75	M 8 x 75	200
00912 1200 8 80	M 8 x 80	200
00912 1200 8 85	M 8 x 85	ask
00912 1200 8 90	M 8 x 90	100
00912 1200 8 95	M 8 x 95	ask
00912 1200 8 100	M 8 x 100	100


Артикулен номер	Размер	Опаковка /бр./
00912 1200 8 110	M 8 x 110	100
00912 1200 8 120	M 8 x 120	100
00912 1200 8 130	M 8 x 130	100
00912 1200 8 140	M 8 x 140	50
00912 1200 8 150	M 8 x 150	50
00912 1200 8 160	M 8 x 160	50
00912 1200 8 170	M 8 x 170	50
00912 1200 8 180	M 8 x 180	50
00912 1200 8 190	M 8 x 190	50
00912 1200 8 200	M 8 x 200	50
00912 1200 8 210	M 8 x 210	50
00912 1200 8 220	M 8 x 220	50
00912 1200 8 230	M 8 x 230	50
00912 1200 8 240	M 8 x 240	50
00912 1200 8 250	M 8 x 250	50
00912 1200 8 260	M 8 x 260	50
00912 1200 8 270	M 8 x 270	50
00912 1200 8 280	M 8 x 280	50
00912 1200 8 290	M 8 x 290	50
00912 1200 8 300	M 8 x 300	50
00912 1200 8 310	M 8 x 310	50
00912 1200 10 10	M 10 x 10	200

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 10 12	M 10 x 12	200
00912 1200 10 14	M 10 x 14	ask
00912 1200 10 16	M 10 x 16	200
00912 1200 10 18	M 10 x 18	200
00912 1200 10 20	M 10 x 20	200
00912 1200 10 22	M 10 x 22	200
00912 1200 10 25	M 10 x 25	200
00912 1200 10 30	M 10 x 30	200
00912 1200 10 35	M 10 x 35	100
00912 1200 10 40	M 10 x 40	100
00912 1200 10 45	M 10 x 45	100
00912 1200 10 50	M 10 x 50	100
00912 1200 10 55	M 10 x 55	100
00912 1200 10 60	M 10 x 60	100
00912 1200 10 65	M 10 x 65	100
00912 1200 10 70	M 10 x 70	100
00912 1200 10 75	M 10 x 75	100
00912 1200 10 80	M 10 x 80	100
00912 1200 10 85	M 10 x 85	100
00912 1200 10 90	M 10 x 90	100
00912 1200 10 95	M 10 x 95	ask
00912 1200 10 100	M 10 x 100	100


Артикулен номер	Размер	Опаковка /бр./
00912 1200 10 110	M 10 x 110	50
00912 1200 10 120	M 10 x 120	50
00912 1200 10 130	M 10 x 130	50
00912 1200 10 140	M 10 x 140	50
00912 1200 10 150	M 10 x 150	50
00912 1200 10 160	M 10 x 160	50
00912 1200 10 170	M 10 x 170	50
00912 1200 10 180	M 10 x 180	50
00912 1200 10 190	M 10 x 190	50
00912 1200 10 200	M 10 x 200	50
00912 1200 10 210	M 10 x 210	50
00912 1200 10 220	M 10 x 220	50
00912 1200 10 230	M 10 x 230	50
00912 1200 10 240	M 10 x 240	50
00912 1200 10 250	M 10 x 250	50
00912 1200 10 260	M 10 x 260	50
00912 1200 10 270	M 10 x 270	50
00912 1200 10 280	M 10 x 280	50
00912 1200 10 290	M 10 x 290	50
00912 1200 10 300	M 10 x 300	50
00912 1200 12 12	M 12 x 12	100
00912 1200 12 14	M 12 x 14	ask

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 12 16	M 12 x 16	100
00912 1200 12 18	M 12 x 18	100
00912 1200 12 20	M 12 x 20	100
00912 1200 12 22	M 12 x 22	100
00912 1200 12 25	M 12 x 25	100
00912 1200 12 30	M 12 x 30	100
00912 1200 12 35	M 12 x 35	100
00912 1200 12 40	M 12 x 40	100
00912 1200 12 45	M 12 x 45	100
00912 1200 12 50	M 12 x 50	100
00912 1200 12 55	M 12 x 55	100
00912 1200 12 60	M 12 x 60	100
00912 1200 12 65	M 12 x 65	50
00912 1200 12 70	M 12 x 70	50
00912 1200 12 75	M 12 x 75	50
00912 1200 12 80	M 12 x 80	50
00912 1200 12 85	M 12 x 85	ask
00912 1200 12 90	M 12 x 90	50
00912 1200 12 95	M 12 x 95	ask
00912 1200 12 100	M 12 x 100	50
00912 1200 12 110	M 12 x 110	50
00912 1200 12 120	M 12 x 120	50


Артикулен номер	Размер	Опаковка /бр./
00912 1200 12 130	M 12 x 130	50
00912 1200 12 140	M 12 x 140	50
00912 1200 12 150	M 12 x 150	50
00912 1200 12 160	M 12 x 160	25
00912 1200 12 170	M 12 x 170	25
00912 1200 12 180	M 12 x 180	25
00912 1200 12 190	M 12 x 190	25
00912 1200 12 200	M 12 x 200	25
00912 1200 12 220	M 12 x 220	25
00912 1200 12 230	M 12 x 230	25
00912 1200 12 240	M 12 x 240	25
00912 1200 12 250	M 12 x 250	25
00912 1200 12 260	M 12 x 260	25
00912 1200 12 280	M 12 x 280	25
00912 1200 12 300	M 12 x 300	25
00912 1200 12 310	M 12 x 310	25
00912 1200 12 320	M 12 x 320	1
00912 1200 12 340	M 12 x 340	1
00912 1200 12 360	M 12 x 360	1
00912 1200 12 380	M 12 x 380	1
00912 1200 12 400	M 12 x 400	1
00912 1200 14 20	M 14 x 20	100

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 14 22	M 14 x 22	100
00912 1200 14 25	M 14 x 25	100
00912 1200 14 30	M 14 x 30	100
00912 1200 14 35	M 14 x 35	100
00912 1200 14 40	M 14 x 40	100
00912 1200 14 45	M 14 x 45	50
00912 1200 14 50	M 14 x 50	50
00912 1200 14 55	M 14 x 55	50
00912 1200 14 60	M 14 x 60	50
00912 1200 14 65	M 14 x 65	50
00912 1200 14 70	M 14 x 70	50
00912 1200 14 75	M 14 x 75	50
00912 1200 14 80	M 14 x 80	50
00912 1200 14 85	M 14 x 85	ask
00912 1200 14 90	M 14 x 90	50
00912 1200 14 95	M 14 x 95	ask
00912 1200 14 100	M 14 x 100	50
00912 1200 14 110	M 14 x 110	50
00912 1200 14 120	M 14 x 120	50
00912 1200 14 130	M 14 x 130	50
00912 1200 14 140	M 14 x 140	25
00912 1200 14 150	M 14 x 150	25


Артикулен номер	Размер	Опаковка /бр./
00912 1200 14 160	M 14 x 160	25
00912 1200 14 170	M 14 x 170	25
00912 1200 14 180	M 14 x 180	25
00912 1200 14 190	M 14 x 190	25
00912 1200 14 200	M 14 x 200	25
00912 1200 14 220	M 14 x 220	10
00912 1200 14 240	M 14 x 240	10
00912 1200 14 260	M 14 x 260	10
00912 1200 14 280	M 14 x 280	10
00912 1200 14 300	M 14 x 300	10
00912 1200 16 16	M 16 x 16	ask
00912 1200 16 18	M 16 x 18	ask
00912 1200 16 20	M 16 x 20	50
00912 1200 16 22	M 16 x 22	50
00912 1200 16 25	M 16 x 25	50
00912 1200 16 30	M 16 x 30	50
00912 1200 16 35	M 16 x 35	50
00912 1200 16 40	M 16 x 40	50
00912 1200 16 45	M 16 x 45	50
00912 1200 16 50	M 16 x 50	50
00912 1200 16 55	M 16 x 55	50
00912 1200 16 60	M 16 x 60	50

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 16 65	M 16 x 65	25
00912 1200 16 70	M 16 x 70	25
00912 1200 16 75	M 16 x 75	25
00912 1200 16 80	M 16 x 80	25
00912 1200 16 85	M 16 x 85	25
00912 1200 16 90	M 16 x 90	25
00912 1200 16 95	M 16 x 95	ask
00912 1200 16 100	M 16 x 100	25
00912 1200 16 110	M 16 x 110	25
00912 1200 16 120	M 16 x 120	25
00912 1200 16 130	M 16 x 130	25
00912 1200 16 140	M 16 x 140	25
00912 1200 16 150	M 16 x 150	25
00912 1200 16 160	M 16 x 160	25
00912 1200 16 170	M 16 x 170	25
00912 1200 16 180	M 16 x 180	25
00912 1200 16 190	M 16 x 190	25
00912 1200 16 200	M 16 x 200	25
00912 1200 16 210	M 16 x 210	25
00912 1200 16 220	M 16 x 220	25
00912 1200 16 230	M 16 x 230	25
00912 1200 16 240	M 16 x 240	25


Артикулен номер	Размер	Опаковка /бр./
00912 1200 16 250	M 16 x 250	25
00912 1200 16 260	M 16 x 260	25
00912 1200 16 270	M 16 x 270	25
00912 1200 16 280	M 16 x 280	25
00912 1200 16 290	M 16 x 290	25
00912 1200 16 300	M 16 x 300	25
00912 1200 16 310	M 16 x 310	1
00912 1200 16 320	M 16 x 320	1
00912 1200 16 330	M 16 x 330	1
00912 1200 16 340	M 16 x 340	1
00912 1200 16 350	M 16 x 350	1
00912 1200 16 360	M 16 x 360	1
00912 1200 16 370	M 16 x 370	1
00912 1200 16 380	M 16 x 380	1
00912 1200 16 390	M 16 x 390	1
00912 1200 16 400	M 16 x 400	1
00912 1200 16 420	M 16 x 420	1
00912 1200 18 30	M 18 x 30	50
00912 1200 18 35	M 18 x 35	50
00912 1200 18 40	M 18 x 40	50
00912 1200 18 45	M 18 x 45	50
00912 1200 18 50	M 18 x 50	50

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 18 55	M 18 x 55	25
00912 1200 18 60	M 18 x 60	25
00912 1200 18 65	M 18 x 65	25
00912 1200 18 70	M 18 x 70	25
00912 1200 18 75	M 18 x 75	25
00912 1200 18 80	M 18 x 80	25
00912 1200 18 85	M 18 x 85	ask
00912 1200 18 90	M 18 x 90	25
00912 1200 18 100	M 18 x 100	25
00912 1200 18 110	M 18 x 110	25
00912 1200 18 120	M 18 x 120	25
00912 1200 18 130	M 18 x 130	25
00912 1200 18 140	M 18 x 140	25
00912 1200 18 150	M 18 x 150	25
00912 1200 18 160	M 18 x 160	25
00912 1200 18 170	M 18 x 170	25
00912 1200 18 180	M 18 x 180	25
00912 1200 18 190	M 18 x 190	25
00912 1200 18 200	M 18 x 200	10
00912 1200 18 210	M 18 x 210	ask
00912 1200 18 220	M 18 x 220	10
00912 1200 18 230	M 18 x 230	ask


Артикулен номер	Размер	Опаковка /бр./
00912 1200 18 240	M 18 x 240	10
00912 1200 18 250	M 18 x 250	ask
00912 1200 18 260	M 18 x 260	1
00912 1200 18 270	M 18 x 270	ask
00912 1200 18 280	M 18 x 280	1
00912 1200 18 290	M 18 x 290	ask
00912 1200 18 300	M 18 x 300	1
00912 1200 20 20	M 20 x 20	ask
00912 1200 20 25	M 20 x 25	ask
00912 1200 20 30	M 20 x 30	25
00912 1200 20 35	M 20 x 35	25
00912 1200 20 40	M 20 x 40	25
00912 1200 20 45	M 20 x 45	25
00912 1200 20 50	M 20 x 50	25
00912 1200 20 55	M 20 x 55	25
00912 1200 20 60	M 20 x 60	25
00912 1200 20 65	M 20 x 65	25
00912 1200 20 70	M 20 x 70	25
00912 1200 20 75	M 20 x 75	25
00912 1200 20 80	M 20 x 80	25
00912 1200 20 85	M 20 x 85	ask
00912 1200 20 90	M 20 x 90	25

Винт с вътрешен шестостен, DIN 912, 12.9, ВІ.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ВІ.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 20 95	M 20 x 95	ask
00912 1200 20 100	M 20 x 100	25
00912 1200 20 110	M 20 x 110	25
00912 1200 20 120	M 20 x 120	25
00912 1200 20 130	M 20 x 130	25
00912 1200 20 140	M 20 x 140	25
00912 1200 20 150	M 20 x 150	25
00912 1200 20 160	M 20 x 160	10
00912 1200 20 170	M 20 x 170	10
00912 1200 20 180	M 20 x 180	10
00912 1200 20 190	M 20 x 190	10
00912 1200 20 200	M 20 x 200	10
00912 1200 20 210	M 20 x 210	10
00912 1200 20 220	M 20 x 220	10
00912 1200 20 230	M 20 x 230	10
00912 1200 20 240	M 20 x 240	10
00912 1200 20 250	M 20 x 250	10
00912 1200 20 260	M 20 x 260	10
00912 1200 20 270	M 20 x 270	10
00912 1200 20 280	M 20 x 280	10
00912 1200 20 290	M 20 x 290	10
00912 1200 20 300	M 20 x 300	10


Артикулен номер	Размер	Опаковка /бр./
00912 1200 20 310	M 20 x 310	1
00912 1200 20 320	M 20 x 320	1
00912 1200 20 330	M 20 x 330	1
00912 1200 20 340	M 20 x 340	1
00912 1200 20 350	M 20 x 350	1
00912 1200 20 360	M 20 x 360	1
00912 1200 20 380	M 20 x 380	1
00912 1200 20 400	M 20 x 400	1
00912 1200 20 420	M 20 x 420	1
00912 1200 20 440	M 20 x 440	1
00912 1200 20 450	M 20 x 450	1
00912 1200 20 460	M 20 x 460	1
00912 1200 20 480	M 20 x 480	1
00912 1200 20 500	M 20 x 500	1
00912 1200 22 30	M 22 x 30	ask
00912 1200 22 35	M 22 x 35	ask
00912 1200 22 40	M 22 x 40	25
00912 1200 22 45	M 22 x 45	25
00912 1200 22 50	M 22 x 50	25
00912 1200 22 55	M 22 x 55	25
00912 1200 22 60	M 22 x 60	25
00912 1200 22 65	M 22 x 65	25

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 22 70	M 22 x 70	25
00912 1200 22 75	M 22 x 75	25
00912 1200 22 80	M 22 x 80	25
00912 1200 22 85	M 22 x 85	ask
00912 1200 22 90	M 22 x 90	25
00912 1200 22 100	M 22 x 100	10
00912 1200 22 110	M 22 x 110	10
00912 1200 22 120	M 22 x 120	10
00912 1200 22 130	M 22 x 130	1
00912 1200 22 140	M 22 x 140	1
00912 1200 22 150	M 22 x 150	1
00912 1200 22 160	M 22 x 160	1
00912 1200 22 170	M 22 x 170	1
00912 1200 22 180	M 22 x 180	1
00912 1200 22 190	M 22 x 190	1
00912 1200 22 200	M 22 x 200	1
00912 1200 22 210	M 22 x 210	ask
00912 1200 22 220	M 22 x 220	1
00912 1200 22 230	M 22 x 230	ask
00912 1200 22 240	M 22 x 240	1
00912 1200 22 250	M 22 x 250	ask
00912 1200 22 260	M 22 x 260	1


Артикулен номер	Размер	Опаковка /бр./
00912 1200 22 270	M 22 x 270	ask
00912 1200 22 280	M 22 x 280	1
00912 1200 22 300	M 22 x 300	1
00912 1200 24 30	M 24 x 30	ask
00912 1200 24 35	M 24 x 35	ask
00912 1200 24 40	M 24 x 40	25
00912 1200 24 45	M 24 x 45	25
00912 1200 24 50	M 24 x 50	25
00912 1200 24 55	M 24 x 55	25
00912 1200 24 60	M 24 x 60	25
00912 1200 24 65	M 24 x 65	25
00912 1200 24 70	M 24 x 70	25
00912 1200 24 75	M 24 x 75	25
00912 1200 24 80	M 24 x 80	25
00912 1200 24 85	M 24 x 85	ask
00912 1200 24 90	M 24 x 90	10
00912 1200 24 95	M 24 x 95	ask
00912 1200 24 100	M 24 x 100	10
00912 1200 24 110	M 24 x 110	10
00912 1200 24 120	M 24 x 120	10
00912 1200 24 130	M 24 x 130	1
00912 1200 24 140	M 24 x 140	1

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 24 150	M 24 x 150	1
00912 1200 24 160	M 24 x 160	1
00912 1200 24 170	M 24 x 170	1
00912 1200 24 180	M 24 x 180	1
00912 1200 24 190	M 24 x 190	1
00912 1200 24 200	M 24 x 200	1
00912 1200 24 210	M 24 x 210	1
00912 1200 24 220	M 24 x 220	1
00912 1200 24 230	M 24 x 230	1
00912 1200 24 240	M 24 x 240	1
00912 1200 24 250	M 24 x 250	1
00912 1200 24 260	M 24 x 260	1
00912 1200 24 270	M 24 x 270	1
00912 1200 24 280	M 24 x 280	1
00912 1200 24 290	M 24 x 290	1
00912 1200 24 300	M 24 x 300	1
00912 1200 24 310	M 24 x 310	1
00912 1200 24 320	M 24 x 320	1
00912 1200 24 330	M 24 x 330	1
00912 1200 24 340	M 24 x 340	1
00912 1200 24 350	M 24 x 350	1
00912 1200 24 360	M 24 x 360	1


Артикулен номер	Размер	Опаковка /бр./
00912 1200 24 380	M 24 x 380	1
00912 1200 24 400	M 24 x 400	1
00912 1200 24 420	M 24 x 420	1
00912 1200 24 440	M 24 x 440	1
00912 1200 24 460	M 24 x 460	1
00912 1200 24 480	M 24 x 480	1
00912 1200 24 500	M 24 x 500	1
00912 1200 27 40	M 27 x 40	ask
00912 1200 27 45	M 27 x 45	ask
00912 1200 27 50	M 27 x 50	10
00912 1200 27 55	M 27 x 55	10
00912 1200 27 60	M 27 x 60	10
00912 1200 27 65	M 27 x 65	10
00912 1200 27 70	M 27 x 70	10
00912 1200 27 75	M 27 x 75	10
00912 1200 27 80	M 27 x 80	10
00912 1200 27 85	M 27 x 85	ask
00912 1200 27 90	M 27 x 90	10
00912 1200 27 95	M 27 x 95	ask
00912 1200 27 100	M 27 x 100	10
00912 1200 27 110	M 27 x 110	10
00912 1200 27 120	M 27 x 120	10

Винт с вътрешен шестостен, DIN 912, 12.9, B1.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	B1.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 27 130	M 27 x 130	1
00912 1200 27 140	M 27 x 140	1
00912 1200 27 150	M 27 x 150	1
00912 1200 27 160	M 27 x 160	1
00912 1200 27 170	M 27 x 170	1
00912 1200 27 180	M 27 x 180	1
00912 1200 27 190	M 27 x 190	1
00912 1200 27 200	M 27 x 200	1
00912 1200 27 210	M 27 x 210	1
00912 1200 27 220	M 27 x 220	1
00912 1200 27 230	M 27 x 230	1
00912 1200 27 240	M 27 x 240	1
00912 1200 27 250	M 27 x 250	1
00912 1200 27 260	M 27 x 260	1
00912 1200 27 280	M 27 x 280	1
00912 1200 27 300	M 27 x 300	1
00912 1200 30 35	M 30 x 35	ask
00912 1200 30 40	M 30 x 40	ask
00912 1200 30 45	M 30 x 45	1
00912 1200 30 50	M 30 x 50	1
00912 1200 30 55	M 30 x 55	1
00912 1200 30 60	M 30 x 60	1


Артикулен номер	Размер	Опаковка /бр./
00912 1200 30 65	M 30 x 65	1
00912 1200 30 70	M 30 x 70	1
00912 1200 30 75	M 30 x 75	1
00912 1200 30 80	M 30 x 80	1
00912 1200 30 85	M 30 x 85	ask
00912 1200 30 90	M 30 x 90	1
00912 1200 30 95	M 30 x 95	ask
00912 1200 30 100	M 30 x 100	1
00912 1200 30 110	M 30 x 110	1
00912 1200 30 120	M 30 x 120	1
00912 1200 30 130	M 30 x 130	1
00912 1200 30 140	M 30 x 140	1
00912 1200 30 150	M 30 x 150	1
00912 1200 30 160	M 30 x 160	1
00912 1200 30 170	M 30 x 170	1
00912 1200 30 180	M 30 x 180	1
00912 1200 30 190	M 30 x 190	1
00912 1200 30 200	M 30 x 200	1
00912 1200 30 210	M 30 x 210	1
00912 1200 30 220	M 30 x 220	1
00912 1200 30 230	M 30 x 230	1
00912 1200 30 240	M 30 x 240	1

Винт с вътрешен шестостен, DIN 912, 12.9, ВІ.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ВІ.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 30 250	M 30 x 250	1
00912 1200 30 260	M 30 x 260	1
00912 1200 30 270	M 30 x 270	1
00912 1200 30 280	M 30 x 280	1
00912 1200 30 290	M 30 x 290	1
00912 1200 30 300	M 30 x 300	1
00912 1200 30 320	M 30 x 320	1
00912 1200 30 340	M 30 x 340	1
00912 1200 30 360	M 30 x 360	1
00912 1200 30 380	M 30 x 380	1
00912 1200 30 400	M 30 x 400	1
00912 1200 30 420	M 30 x 420	1
00912 1200 30 440	M 30 x 440	1
00912 1200 30 460	M 30 x 460	1
00912 1200 33 50	M 33 x 50	ask
00912 1200 33 55	M 33 x 55	ask
00912 1200 33 60	M 33 x 60	1
00912 1200 33 65	M 33 x 65	ask
00912 1200 33 70	M 33 x 70	1
00912 1200 33 75	M 33 x 75	ask
00912 1200 33 80	M 33 x 80	1
00912 1200 33 85	M 33 x 85	ask


Артикулен номер	Размер	Опаковка /бр./
00912 1200 33 90	M 33 x 90	1
00912 1200 33 100	M 33 x 100	1
00912 1200 33 110	M 33 x 110	1
00912 1200 33 120	M 33 x 120	1
00912 1200 33 130	M 33 x 130	1
00912 1200 33 140	M 33 x 140	1
00912 1200 33 150	M 33 x 150	1
00912 1200 33 160	M 33 x 160	1
00912 1200 33 170	M 33 x 170	1
00912 1200 33 180	M 33 x 180	1
00912 1200 33 190	M 33 x 190	1
00912 1200 33 200	M 33 x 200	1
00912 1200 33 210	M 33 x 210	1
00912 1200 33 220	M 33 x 220	1
00912 1200 33 230	M 33 x 230	ask
00912 1200 33 240	M 33 x 240	1
00912 1200 33 260	M 33 x 260	1
00912 1200 33 280	M 33 x 280	1
00912 1200 33 300	M 33 x 300	1
00912 1200 33 330	M 33 x 330	ask
00912 1200 36 50	M 36 x 50	ask
00912 1200 36 55	M 36 x 55	ask

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 36 60	M 36 x 60	1
00912 1200 36 65	M 36 x 65	ask
00912 1200 36 70	M 36 x 70	1
00912 1200 36 75	M 36 x 75	ask
00912 1200 36 80	M 36 x 80	1
00912 1200 36 85	M 36 x 85	ask
00912 1200 36 90	M 36 x 90	1
00912 1200 36 95	M 36 x 95	ask
00912 1200 36 100	M 36 x 100	1
00912 1200 36 110	M 36 x 110	1
00912 1200 36 120	M 36 x 120	1
00912 1200 36 130	M 36 x 130	1
00912 1200 36 140	M 36 x 140	1
00912 1200 36 150	M 36 x 150	1
00912 1200 36 160	M 36 x 160	1
00912 1200 36 170	M 36 x 170	1
00912 1200 36 180	M 36 x 180	1
00912 1200 36 190	M 36 x 190	ask
00912 1200 36 200	M 36 x 200	1
00912 1200 36 210	M 36 x 210	ask
00912 1200 36 220	M 36 x 220	1
00912 1200 36 230	M 36 x 230	ask


Артикулен номер	Размер	Опаковка /бр./
00912 1200 36 240	M 36 x 240	1
00912 1200 36 250	M 36 x 250	ask
00912 1200 36 260	M 36 x 260	1
00912 1200 36 270	M 36 x 270	ask
00912 1200 36 280	M 36 x 280	1
00912 1200 36 290	M 36 x 290	ask
00912 1200 36 300	M 36 x 300	1
00912 1200 36 320	M 36 x 320	1
00912 1200 36 340	M 36 x 340	1
00912 1200 36 360	M 36 x 360	1
00912 1200 36 380	M 36 x 380	1
00912 1200 36 400	M 36 x 400	1
00912 1200 36 420	M 36 x 420	1
00912 1200 39 100	M 39 x 100	1
00912 1200 39 110	M 39 x 110	1
00912 1200 39 120	M 39 x 120	1
00912 1200 39 130	M 39 x 130	1
00912 1200 39 140	M 39 x 140	1
00912 1200 39 150	M 39 x 150	1
00912 1200 39 160	M 39 x 160	1
00912 1200 39 170	M 39 x 170	1
00912 1200 39 180	M 39 x 180	1

Винт с вътрешен шестостен, DIN 912, 12.9, Bl.

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	12.9	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 1200 39 190	M 39 x 190	1
00912 1200 39 200	M 39 x 200	1
00912 1200 39 220	M 39 x 220	1
00912 1200 39 240	M 39 x 240	1
00912 1200 39 260	M 39 x 260	1
00912 1200 39 280	M 39 x 280	1
00912 1200 39 300	M 39 x 300	1
00912 1200 42 120	M 42 x 120	1
00912 1200 42 130	M 42 x 130	1
00912 1200 42 140	M 42 x 140	1
00912 1200 42 150	M 42 x 150	1
00912 1200 42 160	M 42 x 160	1
00912 1200 42 170	M 42 x 170	1
00912 1200 42 180	M 42 x 180	1
00912 1200 42 190	M 42 x 190	1
00912 1200 42 200	M 42 x 200	1
00912 1200 42 220	M 42 x 220	1
00912 1200 42 240	M 42 x 240	1
00912 1200 42 260	M 42 x 260	1
00912 1200 42 280	M 42 x 280	1
00912 1200 42 300	M 42 x 300	1
00912 1200 42 380	M 42 x 380	ask

Артикулен номер	Размер	Опаковка /бр./
00912 1200 48 120	M 48 x 120	1
00912 1200 48 130	M 48 x 130	1
00912 1200 48 140	M 48 x 140	1
00912 1200 48 150	M 48 x 150	1
00912 1200 48 160	M 48 x 160	1
00912 1200 48 180	M 48 x 180	1
00912 1200 48 200	M 48 x 200	1
00912 1200 48 220	M 48 x 220	1
00912 1200 48 240	M 48 x 240	1
00912 1200 48 260	M 48 x 260	1
00912 1200 48 280	M 48 x 280	1
00912 1200 48 300	M 48 x 300	1