


Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 3 4	M 3 x 4	500
00912 8801 3 5	M 3 x 5	500
00912 8801 3 6	M 3 x 6	500
00912 8801 3 8	M 3 x 8	500
00912 8801 3 10	M 3 x 10	500
00912 8801 3 12	M 3 x 12	500
00912 8801 3 14	M 3 x 14	500
00912 8801 3 16	M 3 x 16	500
00912 8801 3 18	M 3 x 18	500
00912 8801 3 20	M 3 x 20	500
00912 8801 3 22	M 3 x 22	500
00912 8801 3 25	M 3 x 25	500
00912 8801 3 30	M 3 x 30	500
00912 8801 3 35	M 3 x 35	500
00912 8801 3 40	M 3 x 40	500
00912 8801 3 45	M 3 x 45	500
00912 8801 3 50	M 3 x 50	500
00912 8801 3 55	M 3 x 55	ask
00912 8801 3 60	M 3 x 60	ask
00912 8801 4 5	M 4 x 5	500
00912 8801 4 6	M 4 x 6	500
00912 8801 4 8	M 4 x 8	500


Артикулен номер	Размер	Опаковка /бр./
00912 8801 4 10	M 4 x 10	500
00912 8801 4 12	M 4 x 12	500
00912 8801 4 14	M 4 x 14	500
00912 8801 4 16	M 4 x 16	500
00912 8801 4 18	M 4 x 18	500
00912 8801 4 20	M 4 x 20	500
00912 8801 4 22	M 4 x 22	500
00912 8801 4 25	M 4 x 25	500
00912 8801 4 30	M 4 x 30	500
00912 8801 4 35	M 4 x 35	500
00912 8801 4 40	M 4 x 40	500
00912 8801 4 45	M 4 x 45	500
00912 8801 4 50	M 4 x 50	500
00912 8801 4 55	M 4 x 55	200
00912 8801 4 60	M 4 x 60	200
00912 8801 4 65	M 4 x 65	200
00912 8801 4 70	M 4 x 70	200
00912 8801 4 75	M 4 x 75	200
00912 8801 4 80	M 4 x 80	200
00912 8801 4 85	M 4 x 85	200
00912 8801 4 90	M 4 x 90	200
00912 8801 4 95	M 4 x 95	200

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 4 100	M 4 x 100	200
00912 8801 4 110	M 4 x 110	200
00912 8801 4 120	M 4 x 120	200
00912 8801 5 5	M 5 x 5	500
00912 8801 5 6	M 5 x 6	500
00912 8801 5 8	M 5 x 8	500
00912 8801 5 10	M 5 x 10	500
00912 8801 5 12	M 5 x 12	500
00912 8801 5 14	M 5 x 14	500
00912 8801 5 16	M 5 x 16	500
00912 8801 5 18	M 5 x 18	500
00912 8801 5 20	M 5 x 20	500
00912 8801 5 22	M 5 x 22	500
00912 8801 5 25	M 5 x 25	500
00912 8801 5 30	M 5 x 30	500
00912 8801 5 35	M 5 x 35	200
00912 8801 5 40	M 5 x 40	200
00912 8801 5 45	M 5 x 45	200
00912 8801 5 50	M 5 x 50	200
00912 8801 5 55	M 5 x 55	200
00912 8801 5 60	M 5 x 60	200
00912 8801 5 65	M 5 x 65	200


Артикулен номер	Размер	Опаковка /бр./
00912 8801 5 70	M 5 x 70	200
00912 8801 5 75	M 5 x 75	200
00912 8801 5 80	M 5 x 80	200
00912 8801 5 85	M 5 x 85	200
00912 8801 5 90	M 5 x 90	200
00912 8801 5 95	M 5 x 95	200
00912 8801 5 100	M 5 x 100	200
00912 8801 5 110	M 5 x 110	200
00912 8801 5 120	M 5 x 120	100
00912 8801 5 130	M 5 x 130	100
00912 8801 5 140	M 5 x 140	100
00912 8801 5 150	M 5 x 150	100
00912 8801 5 160	M 5 x 160	100
00912 8801 5 170	M 5 x 170	100
00912 8801 5 180	M 5 x 180	100
00912 8801 5 190	M 5 x 190	ask
00912 8801 5 200	M 5 x 200	100
00912 8801 6 6	M 6 x 6	500
00912 8801 6 8	M 6 x 8	500
00912 8801 6 10	M 6 x 10	500
00912 8801 6 12	M 6 x 12	500
00912 8801 6 14	M 6 x 14	500

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 6 16	M 6 x 16	500
00912 8801 6 18	M 6 x 18	500
00912 8801 6 20	M 6 x 20	500
00912 8801 6 22	M 6 x 22	500
00912 8801 6 25	M 6 x 25	500
00912 8801 6 30	M 6 x 30	500
00912 8801 6 35	M 6 x 35	200
00912 8801 6 40	M 6 x 40	200
00912 8801 6 45	M 6 x 45	200
00912 8801 6 50	M 6 x 50	200
00912 8801 6 55	M 6 x 55	200
00912 8801 6 60	M 6 x 60	200
00912 8801 6 65	M 6 x 65	200
00912 8801 6 70	M 6 x 70	200
00912 8801 6 75	M 6 x 75	200
00912 8801 6 80	M 6 x 80	200
00912 8801 6 85	M 6 x 85	200
00912 8801 6 90	M 6 x 90	200
00912 8801 6 95	M 6 x 95	200
00912 8801 6 100	M 6 x 100	200
00912 8801 6 110	M 6 x 110	100
00912 8801 6 120	M 6 x 120	100


Артикулен номер	Размер	Опаковка /бр./
00912 8801 6 130	M 6 x 130	100
00912 8801 6 140	M 6 x 140	100
00912 8801 6 150	M 6 x 150	100
00912 8801 6 160	M 6 x 160	100
00912 8801 6 170	M 6 x 170	100
00912 8801 6 180	M 6 x 180	100
00912 8801 6 190	M 6 x 190	ask
00912 8801 6 200	M 6 x 200	100
00912 8801 8 8	M 8 x 8	200
00912 8801 8 10	M 8 x 10	200
00912 8801 8 12	M 8 x 12	200
00912 8801 8 14	M 8 x 14	200
00912 8801 8 16	M 8 x 16	200
00912 8801 8 18	M 8 x 18	200
00912 8801 8 20	M 8 x 20	200
00912 8801 8 22	M 8 x 22	200
00912 8801 8 25	M 8 x 25	200
00912 8801 8 30	M 8 x 30	200
00912 8801 8 35	M 8 x 35	200
00912 8801 8 40	M 8 x 40	200
00912 8801 8 45	M 8 x 45	200
00912 8801 8 50	M 8 x 50	200

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 8 55	M 8 x 55	200
00912 8801 8 60	M 8 x 60	200
00912 8801 8 65	M 8 x 65	200
00912 8801 8 70	M 8 x 70	200
00912 8801 8 75	M 8 x 75	200
00912 8801 8 80	M 8 x 80	200
00912 8801 8 85	M 8 x 85	100
00912 8801 8 90	M 8 x 90	100
00912 8801 8 95	M 8 x 95	100
00912 8801 8 100	M 8 x 100	100
00912 8801 8 105	M 8 x 105	100
00912 8801 8 110	M 8 x 110	100
00912 8801 8 120	M 8 x 120	100
00912 8801 8 130	M 8 x 130	100
00912 8801 8 140	M 8 x 140	100
00912 8801 8 150	M 8 x 150	100
00912 8801 8 160	M 8 x 160	100
00912 8801 8 170	M 8 x 170	100
00912 8801 8 180	M 8 x 180	100
00912 8801 8 190	M 8 x 190	100
00912 8801 8 200	M 8 x 200	100
00912 8801 10 10	M 10 x 10	200


Артикулен номер	Размер	Опаковка /бр./
00912 8801 10 12	M 10 x 12	200
00912 8801 10 14	M 10 x 14	200
00912 8801 10 16	M 10 x 16	200
00912 8801 10 18	M 10 x 18	200
00912 8801 10 20	M 10 x 20	200
00912 8801 10 22	M 10 x 22	200
00912 8801 10 25	M 10 x 25	200
00912 8801 10 30	M 10 x 30	200
00912 8801 10 35	M 10 x 35	100
00912 8801 10 40	M 10 x 40	100
00912 8801 10 45	M 10 x 45	100
00912 8801 10 50	M 10 x 50	100
00912 8801 10 55	M 10 x 55	100
00912 8801 10 60	M 10 x 60	100
00912 8801 10 65	M 10 x 65	100
00912 8801 10 70	M 10 x 70	100
00912 8801 10 75	M 10 x 75	100
00912 8801 10 80	M 10 x 80	100
00912 8801 10 85	M 10 x 85	100
00912 8801 10 90	M 10 x 90	100
00912 8801 10 95	M 10 x 95	100
00912 8801 10 100	M 10 x 100	100

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 10 110	M 10 x 110	100
00912 8801 10 120	M 10 x 120	50
00912 8801 10 130	M 10 x 130	50
00912 8801 10 140	M 10 x 140	50
00912 8801 10 150	M 10 x 150	50
00912 8801 10 160	M 10 x 160	50
00912 8801 10 170	M 10 x 170	50
00912 8801 10 180	M 10 x 180	50
00912 8801 10 190	M 10 x 190	50
00912 8801 10 200	M 10 x 200	50
00912 8801 10 210	M 10 x 210	50
00912 8801 10 220	M 10 x 220	50
00912 8801 10 230	M 10 x 230	50
00912 8801 10 240	M 10 x 240	50
00912 8801 10 260	M 10 x 260	50
00912 8801 10 280	M 10 x 280	50
00912 8801 10 300	M 10 x 300	50
00912 8801 12 14	M 12 x 14	100
00912 8801 12 16	M 12 x 16	100
00912 8801 12 18	M 12 x 18	ask
00912 8801 12 20	M 12 x 20	100
00912 8801 12 22	M 12 x 22	100


Артикулен номер	Размер	Опаковка /бр./
00912 8801 12 25	M 12 x 25	100
00912 8801 12 30	M 12 x 30	100
00912 8801 12 35	M 12 x 35	100
00912 8801 12 40	M 12 x 40	100
00912 8801 12 45	M 12 x 45	100
00912 8801 12 50	M 12 x 50	100
00912 8801 12 55	M 12 x 55	100
00912 8801 12 60	M 12 x 60	100
00912 8801 12 65	M 12 x 65	50
00912 8801 12 70	M 12 x 70	50
00912 8801 12 75	M 12 x 75	50
00912 8801 12 80	M 12 x 80	50
00912 8801 12 85	M 12 x 85	50
00912 8801 12 90	M 12 x 90	50
00912 8801 12 95	M 12 x 95	50
00912 8801 12 100	M 12 x 100	50
00912 8801 12 110	M 12 x 110	50
00912 8801 12 120	M 12 x 120	50
00912 8801 12 130	M 12 x 130	50
00912 8801 12 140	M 12 x 140	50
00912 8801 12 150	M 12 x 150	50
00912 8801 12 160	M 12 x 160	50

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 12 170	M 12 x 170	50
00912 8801 12 180	M 12 x 180	50
00912 8801 12 190	M 12 x 190	50
00912 8801 12 200	M 12 x 200	50
00912 8801 12 210	M 12 x 210	25
00912 8801 12 220	M 12 x 220	25
00912 8801 12 230	M 12 x 230	25
00912 8801 12 240	M 12 x 240	25
00912 8801 12 250	M 12 x 250	25
00912 8801 14 20	M 14 x 20	100
00912 8801 14 25	M 14 x 25	100
00912 8801 14 30	M 14 x 30	100
00912 8801 14 35	M 14 x 35	100
00912 8801 14 40	M 14 x 40	100
00912 8801 14 45	M 14 x 45	50
00912 8801 14 50	M 14 x 50	50
00912 8801 14 55	M 14 x 55	50
00912 8801 14 60	M 14 x 60	50
00912 8801 14 65	M 14 x 65	50
00912 8801 14 70	M 14 x 70	50
00912 8801 14 75	M 14 x 75	50
00912 8801 14 80	M 14 x 80	50


Артикулен номер	Размер	Опаковка /бр./
00912 8801 14 85	M 14 x 85	50
00912 8801 14 90	M 14 x 90	50
00912 8801 14 95	M 14 x 95	50
00912 8801 14 100	M 14 x 100	50
00912 8801 14 110	M 14 x 110	50
00912 8801 14 120	M 14 x 120	50
00912 8801 14 130	M 14 x 130	50
00912 8801 14 140	M 14 x 140	25
00912 8801 14 150	M 14 x 150	25
00912 8801 14 160	M 14 x 160	25
00912 8801 14 170	M 14 x 170	ask
00912 8801 14 180	M 14 x 180	25
00912 8801 14 190	M 14 x 190	ask
00912 8801 14 200	M 14 x 200	25
00912 8801 16 16	M 16 x 16	ask
00912 8801 16 18	M 16 x 18	ask
00912 8801 16 20	M 16 x 20	50
00912 8801 16 25	M 16 x 25	50
00912 8801 16 30	M 16 x 30	50
00912 8801 16 35	M 16 x 35	50
00912 8801 16 40	M 16 x 40	50
00912 8801 16 45	M 16 x 45	50

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 16 50	M 16 x 50	50
00912 8801 16 55	M 16 x 55	50
00912 8801 16 60	M 16 x 60	50
00912 8801 16 65	M 16 x 65	25
00912 8801 16 70	M 16 x 70	25
00912 8801 16 75	M 16 x 75	25
00912 8801 16 80	M 16 x 80	25
00912 8801 16 85	M 16 x 85	25
00912 8801 16 90	M 16 x 90	25
00912 8801 16 95	M 16 x 95	25
00912 8801 16 100	M 16 x 100	25
00912 8801 16 110	M 16 x 110	25
00912 8801 16 120	M 16 x 120	25
00912 8801 16 130	M 16 x 130	25
00912 8801 16 140	M 16 x 140	25
00912 8801 16 150	M 16 x 150	25
00912 8801 16 160	M 16 x 160	25
00912 8801 16 170	M 16 x 170	25
00912 8801 16 180	M 16 x 180	25
00912 8801 16 190	M 16 x 190	25
00912 8801 16 200	M 16 x 200	25
00912 8801 16 210	M 16 x 210	25


Артикулен номер	Размер	Опаковка /бр./
00912 8801 16 220	M 16 x 220	25
00912 8801 16 230	M 16 x 230	25
00912 8801 16 240	M 16 x 240	25
00912 8801 16 260	M 16 x 260	25
00912 8801 16 280	M 16 x 280	25
00912 8801 16 300	M 16 x 300	25
00912 8801 18 30	M 18 x 30	50
00912 8801 18 35	M 18 x 35	50
00912 8801 18 40	M 18 x 40	50
00912 8801 18 45	M 18 x 45	50
00912 8801 18 50	M 18 x 50	50
00912 8801 18 55	M 18 x 55	25
00912 8801 18 60	M 18 x 60	25
00912 8801 18 65	M 18 x 65	25
00912 8801 18 70	M 18 x 70	25
00912 8801 18 75	M 18 x 75	25
00912 8801 18 80	M 18 x 80	25
00912 8801 18 85	M 18 x 85	ask
00912 8801 18 90	M 18 x 90	25
00912 8801 18 100	M 18 x 100	25
00912 8801 18 110	M 18 x 110	25
00912 8801 18 120	M 18 x 120	25

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 18 130	M 18 x 130	25
00912 8801 18 140	M 18 x 140	25
00912 8801 18 150	M 18 x 150	25
00912 8801 18 160	M 18 x 160	25
00912 8801 18 170	M 18 x 170	ask
00912 8801 18 180	M 18 x 180	25
00912 8801 18 190	M 18 x 190	ask
00912 8801 18 200	M 18 x 200	1
00912 8801 18 210	M 18 x 210	ask
00912 8801 18 220	M 18 x 220	ask
00912 8801 18 230	M 18 x 230	ask
00912 8801 18 240	M 18 x 240	ask
00912 8801 18 250	M 18 x 250	ask
00912 8801 18 260	M 18 x 260	ask
00912 8801 18 270	M 18 x 270	ask
00912 8801 18 280	M 18 x 280	ask
00912 8801 18 290	M 18 x 290	ask
00912 8801 18 300	M 18 x 300	ask
00912 8801 20 20	M 20 x 20	ask
00912 8801 20 25	M 20 x 25	25
00912 8801 20 30	M 20 x 30	25
00912 8801 20 35	M 20 x 35	25


Артикулен номер	Размер	Опаковка /бр./
00912 8801 20 40	M 20 x 40	25
00912 8801 20 45	M 20 x 45	25
00912 8801 20 50	M 20 x 50	25
00912 8801 20 55	M 20 x 55	25
00912 8801 20 60	M 20 x 60	25
00912 8801 20 65	M 20 x 65	25
00912 8801 20 70	M 20 x 70	25
00912 8801 20 75	M 20 x 75	25
00912 8801 20 80	M 20 x 80	25
00912 8801 20 85	M 20 x 85	25
00912 8801 20 90	M 20 x 90	25
00912 8801 20 95	M 20 x 95	ask
00912 8801 20 100	M 20 x 100	25
00912 8801 20 110	M 20 x 110	25
00912 8801 20 120	M 20 x 120	25
00912 8801 20 130	M 20 x 130	25
00912 8801 20 140	M 20 x 140	25
00912 8801 20 150	M 20 x 150	25
00912 8801 20 160	M 20 x 160	10
00912 8801 20 170	M 20 x 170	10
00912 8801 20 180	M 20 x 180	10
00912 8801 20 190	M 20 x 190	10

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 20 200	M 20 x 200	1
00912 8801 20 210	M 20 x 210	1
00912 8801 20 220	M 20 x 220	1
00912 8801 20 230	M 20 x 230	1
00912 8801 20 240	M 20 x 240	1
00912 8801 20 250	M 20 x 250	1
00912 8801 20 260	M 20 x 260	1
00912 8801 20 270	M 20 x 270	1
00912 8801 20 280	M 20 x 280	1
00912 8801 20 290	M 20 x 290	ask
00912 8801 20 300	M 20 x 300	1
00912 8801 22 30	M 22 x 30	ask
00912 8801 22 35	M 22 x 35	ask
00912 8801 22 40	M 22 x 40	ask
00912 8801 22 45	M 22 x 45	ask
00912 8801 22 50	M 22 x 50	25
00912 8801 22 55	M 22 x 55	ask
00912 8801 22 60	M 22 x 60	25
00912 8801 22 65	M 22 x 65	ask
00912 8801 22 70	M 22 x 70	25
00912 8801 22 75	M 22 x 75	ask
00912 8801 22 80	M 22 x 80	25


Артикулен номер	Размер	Опаковка /бр./
00912 8801 22 85	M 22 x 85	ask
00912 8801 22 90	M 22 x 90	25
00912 8801 22 100	M 22 x 100	10
00912 8801 22 110	M 22 x 110	1
00912 8801 22 120	M 22 x 120	ask
00912 8801 22 130	M 22 x 130	ask
00912 8801 22 140	M 22 x 140	ask
00912 8801 22 150	M 22 x 150	ask
00912 8801 22 160	M 22 x 160	ask
00912 8801 22 170	M 22 x 170	ask
00912 8801 22 180	M 22 x 180	ask
00912 8801 22 190	M 22 x 190	ask
00912 8801 22 200	M 22 x 200	ask
00912 8801 22 210	M 22 x 210	ask
00912 8801 22 220	M 22 x 220	ask
00912 8801 22 230	M 22 x 230	ask
00912 8801 22 240	M 22 x 240	ask
00912 8801 22 250	M 22 x 250	ask
00912 8801 22 260	M 22 x 260	ask
00912 8801 22 270	M 22 x 270	ask
00912 8801 22 280	M 22 x 280	ask
00912 8801 22 300	M 22 x 300	ask

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 24 30	M 24 x 30	25
00912 8801 24 35	M 24 x 35	ask
00912 8801 24 40	M 24 x 40	25
00912 8801 24 45	M 24 x 45	25
00912 8801 24 50	M 24 x 50	25
00912 8801 24 55	M 24 x 55	25
00912 8801 24 60	M 24 x 60	25
00912 8801 24 65	M 24 x 65	25
00912 8801 24 70	M 24 x 70	25
00912 8801 24 75	M 24 x 75	25
00912 8801 24 80	M 24 x 80	25
00912 8801 24 85	M 24 x 85	10
00912 8801 24 90	M 24 x 90	10
00912 8801 24 95	M 24 x 95	ask
00912 8801 24 100	M 24 x 100	10
00912 8801 24 110	M 24 x 110	10
00912 8801 24 120	M 24 x 120	10
00912 8801 24 130	M 24 x 130	1
00912 8801 24 140	M 24 x 140	1
00912 8801 24 150	M 24 x 150	1
00912 8801 24 160	M 24 x 160	1
00912 8801 24 170	M 24 x 170	10


Артикулен номер	Размер	Опаковка /бр./
00912 8801 24 180	M 24 x 180	1
00912 8801 24 190	M 24 x 190	ask
00912 8801 24 200	M 24 x 200	1
00912 8801 24 210	M 24 x 210	1
00912 8801 24 220	M 24 x 220	1
00912 8801 24 230	M 24 x 230	1
00912 8801 24 240	M 24 x 240	1
00912 8801 24 250	M 24 x 250	1
00912 8801 24 260	M 24 x 260	1
00912 8801 24 270	M 24 x 270	ask
00912 8801 24 280	M 24 x 280	1
00912 8801 24 290	M 24 x 290	ask
00912 8801 24 300	M 24 x 300	1
00912 8801 27 40	M 27 x 40	ask
00912 8801 27 45	M 27 x 45	ask
00912 8801 27 50	M 27 x 50	10
00912 8801 27 55	M 27 x 55	ask
00912 8801 27 60	M 27 x 60	10
00912 8801 27 65	M 27 x 65	10
00912 8801 27 70	M 27 x 70	10
00912 8801 27 75	M 27 x 75	10
00912 8801 27 80	M 27 x 80	10

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 27 85	M 27 x 85	ask
00912 8801 27 90	M 27 x 90	10
00912 8801 27 95	M 27 x 95	ask
00912 8801 27 100	M 27 x 100	10
00912 8801 27 110	M 27 x 110	10
00912 8801 27 120	M 27 x 120	10
00912 8801 27 130	M 27 x 130	1
00912 8801 27 140	M 27 x 140	1
00912 8801 27 150	M 27 x 150	1
00912 8801 27 160	M 27 x 160	ask
00912 8801 27 170	M 27 x 170	ask
00912 8801 27 180	M 27 x 180	ask
00912 8801 27 190	M 27 x 190	ask
00912 8801 27 200	M 27 x 200	1
00912 8801 27 300	M 27 x 300	1
00912 8801 30 35	M 30 x 35	10
00912 8801 30 40	M 30 x 40	10
00912 8801 30 45	M 30 x 45	ask
00912 8801 30 50	M 30 x 50	10
00912 8801 30 55	M 30 x 55	10
00912 8801 30 60	M 30 x 60	10
00912 8801 30 65	M 30 x 65	10


Артикулен номер	Размер	Опаковка /бр./
00912 8801 30 70	M 30 x 70	10
00912 8801 30 75	M 30 x 75	10
00912 8801 30 80	M 30 x 80	10
00912 8801 30 85	M 30 x 85	ask
00912 8801 30 90	M 30 x 90	1
00912 8801 30 95	M 30 x 95	ask
00912 8801 30 100	M 30 x 100	1
00912 8801 30 110	M 30 x 110	1
00912 8801 30 120	M 30 x 120	1
00912 8801 30 130	M 30 x 130	1
00912 8801 30 140	M 30 x 140	1
00912 8801 30 150	M 30 x 150	1
00912 8801 30 160	M 30 x 160	1
00912 8801 30 170	M 30 x 170	1
00912 8801 30 180	M 30 x 180	1
00912 8801 30 190	M 30 x 190	1
00912 8801 30 200	M 30 x 200	1
00912 8801 30 210	M 30 x 210	1
00912 8801 30 220	M 30 x 220	1
00912 8801 30 230	M 30 x 230	ask
00912 8801 30 240	M 30 x 240	1
00912 8801 30 250	M 30 x 250	1

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 30 260	M 30 x 260	1
00912 8801 30 270	M 30 x 270	ask
00912 8801 30 280	M 30 x 280	1
00912 8801 30 290	M 30 x 290	ask
00912 8801 30 300	M 30 x 300	1
00912 8801 33 50	M 33 x 50	ask
00912 8801 33 55	M 33 x 55	ask
00912 8801 33 60	M 33 x 60	ask
00912 8801 33 65	M 33 x 65	ask
00912 8801 33 70	M 33 x 70	ask
00912 8801 33 75	M 33 x 75	ask
00912 8801 33 80	M 33 x 80	ask
00912 8801 33 85	M 33 x 85	ask
00912 8801 33 90	M 33 x 90	ask
00912 8801 33 100	M 33 x 100	ask
00912 8801 33 110	M 33 x 110	ask
00912 8801 33 120	M 33 x 120	ask
00912 8801 33 130	M 33 x 130	ask
00912 8801 33 140	M 33 x 140	ask
00912 8801 33 150	M 33 x 150	ask
00912 8801 33 160	M 33 x 160	ask
00912 8801 33 170	M 33 x 170	ask


Артикулен номер	Размер	Опаковка /бр./
00912 8801 33 180	M 33 x 180	ask
00912 8801 33 190	M 33 x 190	ask
00912 8801 33 200	M 33 x 200	ask
00912 8801 33 220	M 33 x 220	ask
00912 8801 33 230	M 33 x 230	ask
00912 8801 33 240	M 33 x 240	ask
00912 8801 33 260	M 33 x 260	ask
00912 8801 33 280	M 33 x 280	ask
00912 8801 33 300	M 33 x 300	ask
00912 8801 36 50	M 36 x 50	1
00912 8801 36 55	M 36 x 55	ask
00912 8801 36 60	M 36 x 60	1
00912 8801 36 65	M 36 x 65	1
00912 8801 36 70	M 36 x 70	1
00912 8801 36 75	M 36 x 75	ask
00912 8801 36 80	M 36 x 80	1
00912 8801 36 85	M 36 x 85	ask
00912 8801 36 90	M 36 x 90	1
00912 8801 36 95	M 36 x 95	ask
00912 8801 36 100	M 36 x 100	1
00912 8801 36 110	M 36 x 110	1
00912 8801 36 120	M 36 x 120	1

Винт с вътрешен шестостен, DIN 912, 8.8, vZn

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 8801 36 130	M 36 x 130	1
00912 8801 36 140	M 36 x 140	1
00912 8801 36 150	M 36 x 150	1
00912 8801 36 160	M 36 x 160	1
00912 8801 36 170	M 36 x 170	ask
00912 8801 36 180	M 36 x 180	1
00912 8801 36 190	M 36 x 190	ask
00912 8801 36 200	M 36 x 200	1
00912 8801 36 210	M 36 x 210	ask
00912 8801 36 220	M 36 x 220	1
00912 8801 36 230	M 36 x 230	1
00912 8801 36 240	M 36 x 240	ask
00912 8801 36 250	M 36 x 250	ask
00912 8801 36 260	M 36 x 260	1
00912 8801 36 270	M 36 x 270	ask
00912 8801 36 280	M 36 x 280	ask
00912 8801 36 290	M 36 x 290	ask
00912 8801 36 300	M 36 x 300	1

Артикулен номер	Размер	Опаковка /бр./