


Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 014 6	M 1,4x 6	ask
00912 9200 016 3	M 1,6x 3	100
00912 9200 016 4	M 1,6x 4	100
00912 9200 016 5	M 1,6x 5	100
00912 9200 016 6	M 1,6x 6	100
00912 9200 016 8	M 1,6x 8	100
00912 9200 2 3	M 2 x 3	100
00912 9200 2 4	M 2 x 4	100
00912 9200 2 5	M 2 x 5	100
00912 9200 2 6	M 2 x 6	100
00912 9200 2 8	M 2 x 8	100
00912 9200 2 10	M 2 x 10	100
00912 9200 2 12	M 2 x 12	100
00912 9200 2 14	M 2 x 14	100
00912 9200 2 18	M 2 x 14	100
00912 9200 2 16	M 2 x 16	100
00912 9200 2 20	M 2 x 20	100
00912 9200 25 3	M 2,5x 3	100
00912 9200 25 4	M 2,5x 4	100
00912 9200 25 5	M 2,5x 5	100
00912 9200 25 6	M 2,5x 6	100
00912 9200 25 8	M 2,5x 8	100


Артикулен номер	Размер	Опаковка /бр./
00912 9200 25 10	M 2,5 x 10	100
00912 9200 25 12	M 2,5x 12	100
00912 9200 25 14	M 2,5x 14	100
00912 9200 25 16	M 2,5x 16	100
00912 9200 25 18	M 2,5x 18	100
00912 9200 25 20	M 2,5x 20	100
00912 9200 25 25	M 2,5x 25	100
00912 9200 3 4	M 3 x 4	100
00912 9200 3 5	M 3 x 5	100
00912 9200 3 6	M 3 x 6	100
00912 9200 3 8	M 3 x 8	100
00912 9200 3 10	M 3 x 10	100
00912 9200 3 12	M 3 x 12	100
00912 9200 3 14	M 3 x 14	100
00912 9200 3 16	M 3 x 16	100
00912 9200 3 18	M 3 x 18	100
00912 9200 3 20	M 3 x 20	100
00912 9200 3 22	M 3 x 22	100
00912 9200 3 25	M 3 x 25	100
00912 9200 3 30	M 3 x 30	100
00912 9200 3 35	M 3 x 35	100
00912 9200 3 40	M 3 x 40	100

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 3 45	M 3 x 45	100
00912 9200 3 50	M 3 x 50	100
00912 9200 3 60	M 3 x 60	500
00912 9200 3 70	M 3 x 70	500
00912 9200 4 5	M 4 x 5	100
00912 9200 4 6	M 4 x 6	200
00912 9200 4 8	M 4 x 8	500
00912 9200 4 10	M 4 x 10	500
00912 9200 4 12	M 4 x 12	500
00912 9200 4 14	M 4 x 14	500
00912 9200 4 16	M 4 x 16	500
00912 9200 4 18	M 4 x 18	500
00912 9200 4 20	M 4 x 20	500
00912 9200 4 22	M 4 x 22	500
00912 9200 4 25	M 4 x 25	500
00912 9200 4 30	M 4 x 30	500
00912 9200 4 35	M 4 x 35	500
00912 9200 4 40	M 4 x 40	500
00912 9200 4 45	M 4 x 45	200
00912 9200 4 50	M 4 x 50	200
00912 9200 4 55	M 4 x 55	200
00912 9200 4 60	M 4 x 60	200


Артикулен номер	Размер	Опаковка /бр./
00912 9200 4 70	M 4 x 70	200
00912 9200 4 80	M 4 x 80	200
00912 9200 4 90	M 4 x 90	500
00912 9200 4 100	M 4 x 100	500
00912 9200 5 6	M 5 x 6	100
00912 9200 5 8	M 5 x 8	100
00912 9200 5 10	M 5 x 10	500
00912 9200 5 12	M 5 x 12	500
00912 9200 5 14	M 5 x 14	500
00912 9200 5 16	M 5 x 16	500
00912 9200 5 18	M 5 x 18	500
00912 9200 5 20	M 5 x 20	500
00912 9200 5 22	M 5 x 22	500
00912 9200 5 25	M 5 x 25	500
00912 9200 5 30	M 5 x 30	500
00912 9200 5 35	M 5 x 35	500
00912 9200 5 40	M 5 x 40	500
00912 9200 5 45	M 5 x 45	100
00912 9200 5 50	M 5 x 50	100
00912 9200 5 55	M 5 x 55	100
00912 9200 5 60	M 5 x 60	100
00912 9200 5 65	M 5 x 65	100

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 5 70	M 5 x 70	100
00912 9200 5 75	M 5 x 75	100
00912 9200 5 80	M 5 x 80	100
00912 9200 5 90	M 5 x 90	100
00912 9200 5 100	M 5 x 100	100
00912 9200 6 6	M 6 x 6	100
00912 9200 6 8	M 6 x 8	100
00912 9200 6 10	M 6 x 10	500
00912 9200 6 12	M 6 x 12	500
00912 9200 6 14	M 6 x 14	500
00912 9200 6 16	M 6 x 16	500
00912 9200 6 18	M 6 x 18	500
00912 9200 6 20	M 6 x 20	500
00912 9200 6 22	M 6 x 22	100
00912 9200 6 25	M 6 x 25	500
00912 9200 6 30	M 6 x 30	500
00912 9200 6 35	M 6 x 35	500
00912 9200 6 40	M 6 x 40	500
00912 9200 6 45	M 6 x 45	500
00912 9200 6 50	M 6 x 50	500
00912 9200 6 55	M 6 x 55	500
00912 9200 6 60	M 6 x 60	500


Артикулен номер	Размер	Опаковка /бр./
00912 9200 6 65	M 6 x 65	500
00912 9200 6 70	M 6 x 70	500
00912 9200 6 75	M 6 x 75	100
00912 9200 6 80	M 6 x 80	100
00912 9200 6 85	M 6 x 85	100
00912 9200 6 90	M 6 x 90	100
00912 9200 6 95	M 6 x 95	100
00912 9200 6 100	M 6 x 100	100
00912 9200 6 160	M 6 x 100	200
00912 9200 6 110	M 6 x 110	100
00912 9200 6 170	M 6 x 110	200
00912 9200 6 120	M 6 x 120	100
00912 9200 6 130	M 6 x 130	50
00912 9200 6 200	M 6 x 130	200
00912 9200 6 140	M 6 x 140	50
00912 9200 6 220	M 6 x 140	200
00912 9200 6 150	M 6 x 150	50
00912 9200 6 180	M 6 x 180	200
00912 9200 8 8	M 8 x 8	100
00912 9200 8 10	M 8 x 10	100
00912 9200 8 12	M 8 x 12	200
00912 9200 8 14	M 8 x 14	200

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 8 16	M 8 x 16	200
00912 9200 8 18	M 8 x 18	200
00912 9200 8 20	M 8 x 20	200
00912 9200 8 22	M 8 x 22	200
00912 9200 8 25	M 8 x 25	200
00912 9200 8 30	M 8 x 30	200
00912 9200 8 35	M 8 x 35	200
00912 9200 8 40	M 8 x 40	200
00912 9200 8 45	M 8 x 45	200
00912 9200 8 50	M 8 x 50	200
00912 9200 8 55	M 8 x 55	200
00912 9200 8 60	M 8 x 60	200
00912 9200 8 65	M 8 x 65	200
00912 9200 8 70	M 8 x 70	200
00912 9200 8 75	M 8 x 75	200
00912 9200 8 80	M 8 x 80	200
00912 9200 8 85	M 8 x 85	100
00912 9200 8 90	M 8 x 90	200
00912 9200 8 95	M 8 x 95	ask
00912 9200 8 100	M 8 x 100	200
00912 9200 8 110	M 8 x 110	50
00912 9200 8 120	M 8 x 120	50


Артикулен номер	Размер	Опаковка /бр./
00912 9200 8 130	M 8 x 130	50
00912 9200 8 140	M 8 x 140	50
00912 9200 8 150	M 8 x 150	50
00912 9200 8 160	M 8 x 160	50
00912 9200 8 170	M 8 x 170	50
00912 9200 8 180	M 8 x 180	50
00912 9200 8 200	M 8 x 200	100
00912 9200 8 210	M 8 x 210	100
00912 9200 8 220	M 8 x 220	100
00912 9200 8 230	M 8 x 230	100
00912 9200 8 240	M 8 x 240	100
00912 9200 8 260	M 8 x 260	50
00912 9200 8 280	M 8 x 280	50
00912 9200 8 300	M 8 x 300	50
00912 9200 10 12	M 10 x 12	100
00912 9200 10 16	M 10 x 16	100
00912 9200 10 18	M 10 x 18	100
00912 9200 10 20	M 10 x 20	100
00912 9200 10 22	M 10 x 22	50
00912 9200 10 25	M 10 x 25	100
00912 9200 10 30	M 10 x 30	100
00912 9200 10 35	M 10 x 35	100

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 10 40	M 10 x 40	100
00912 9200 10 45	M 10 x 45	100
00912 9200 10 50	M 10 x 50	100
00912 9200 10 55	M 10 x 55	100
00912 9200 10 60	M 10 x 60	100
00912 9200 10 65	M 10 x 65	100
00912 9200 10 70	M 10 x 70	100
00912 9200 10 75	M 10 x 75	100
00912 9200 10 80	M 10 x 80	100
00912 9200 10 85	M 10 x 85	100
00912 9200 10 90	M 10 x 90	100
00912 9200 10 100	M 10 x 100	100
00912 9200 10 110	M 10 x 110	50
00912 9200 10 120	M 10 x 120	50
00912 9200 10 130	M 10 x 130	50
00912 9200 10 140	M 10 x 140	50
00912 9200 10 150	M 10 x 150	50
00912 9200 10 160	M 10 x 160	50
00912 9200 10 170	M 10 x 170	50
00912 9200 10 180	M 10 x 180	50
00912 9200 10 200	M 10 x 200	1
00912 9200 10 210	M 10 x 210	1


Артикулен номер	Размер	Опаковка /бр./
00912 9200 10 220	M 10 x 220	50
00912 9200 10 230	M 10 x 230	50
00912 9200 10 240	M 10 x 240	50
00912 9200 10 250	M 10 x 250	50
00912 9200 10 260	M 10 x 260	50
00912 9200 10 280	M 10 x 280	50
00912 9200 10 300	M 10 x 300	50
00912 9200 12 16	M 12 x 16	100
00912 9200 12 20	M 12 x 20	100
00912 9200 12 25	M 12 x 25	100
00912 9200 12 30	M 12 x 30	100
00912 9200 12 35	M 12 x 35	100
00912 9200 12 40	M 12 x 40	100
00912 9200 12 45	M 12 x 45	100
00912 9200 12 50	M 12 x 50	100
00912 9200 12 55	M 12 x 55	100
00912 9200 12 60	M 12 x 60	100
00912 9200 12 65	M 12 x 65	100
00912 9200 12 70	M 12 x 70	100
00912 9200 12 75	M 12 x 75	100
00912 9200 12 80	M 12 x 80	100
00912 9200 12 85	M 12 x 85	100

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 12 90	M 12 x 90	100
00912 9200 12 100	M 12 x 100	100
00912 9200 12 110	M 12 x 110	10
00912 9200 12 120	M 12 x 120	10
00912 9200 12 130	M 12 x 130	10
00912 9200 12 140	M 12 x 140	1
00912 9200 12 150	M 12 x 150	1
00912 9200 12 160	M 12 x 160	1
00912 9200 12 170	M 12 x 170	1
00912 9200 12 180	M 12 x 180	1
00912 9200 12 200	M 12 x 200	25
00912 9200 12 210	M 12 x 210	25
00912 9200 12 220	M 12 x 220	25
00912 9200 12 230	M 12 x 230	25
00912 9200 12 240	M 12 x 240	25
00912 9200 12 260	M 12 x 260	25
00912 9200 12 270	M 12 x 270	1
00912 9200 14 16	M 14 x 16	1
00912 9200 14 20	M 14 x 20	50
00912 9200 14 25	M 14 x 25	50
00912 9200 14 30	M 14 x 30	50
00912 9200 14 35	M 14 x 35	50


Артикулен номер	Размер	Опаковка /бр./
00912 9200 14 40	M 14 x 40	50
00912 9200 14 45	M 14 x 45	50
00912 9200 14 50	M 14 x 50	50
00912 9200 14 55	M 14 x 55	50
00912 9200 14 60	M 14 x 60	50
00912 9200 14 65	M 14 x 65	50
00912 9200 14 70	M 14 x 70	50
00912 9200 14 75	M 14 x 75	25
00912 9200 14 80	M 14 x 80	50
00912 9200 14 90	M 14 x 90	1
00912 9200 14 100	M 14 x 100	1
00912 9200 14 110	M 14 x 110	1
00912 9200 14 120	M 14 x 120	1
00912 9200 14 130	M 14 x 130	1
00912 9200 14 140	M 14 x 140	1
00912 9200 14 150	M 14 x 150	1
00912 9200 16 20	M 16 x 20	50
00912 9200 16 25	M 16 x 25	25
00912 9200 16 30	M 16 x 30	25
00912 9200 16 35	M 16 x 35	25
00912 9200 16 40	M 16 x 40	25
00912 9200 16 45	M 16 x 45	25

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 16 50	M 16 x 50	25
00912 9200 16 55	M 16 x 55	25
00912 9200 16 60	M 16 x 60	25
00912 9200 16 65	M 16 x 65	25
00912 9200 16 70	M 16 x 70	25
00912 9200 16 75	M 16 x 75	25
00912 9200 16 80	M 16 x 80	25
00912 9200 16 90	M 16 x 90	25
00912 9200 16 100	M 16 x 100	25
00912 9200 16 110	M 16 x 110	25
00912 9200 16 120	M 16 x 120	25
00912 9200 16 130	M 16 x 130	25
00912 9200 16 140	M 16 x 140	1
00912 9200 16 150	M 16 x 150	1
00912 9200 16 160	M 16 x 160	1
00912 9200 16 170	M 16 x 170	1
00912 9200 16 180	M 16 x 180	1
00912 9200 16 190	M 16 x 190	1
00912 9200 16 200	M 16 x 200	1
00912 9200 18 30	M 18 x 30	1
00912 9200 18 35	M 18 x 35	1
00912 9200 18 40	M 18 x 40	1


Артикулен номер	Размер	Опаковка /бр./
00912 9200 18 45	M 18 x 45	1
00912 9200 18 50	M 18 x 50	1
00912 9200 18 55	M 18 x 55	1
00912 9200 18 60	M 18 x 60	1
00912 9200 18 65	M 18 x 65	1
00912 9200 18 70	M 18 x 70	1
00912 9200 18 75	M 18 x 75	1
00912 9200 18 80	M 18 x 80	1
00912 9200 18 90	M 18 x 90	1
00912 9200 18 100	M 18 x 100	1
00912 9200 18 110	M 18 x 110	1
00912 9200 18 120	M 18 x 120	1
00912 9200 18 130	M 18 x 130	1
00912 9200 18 140	M 18 x 140	50
00912 9200 18 150	M 18 x 150	50
00912 9200 20 30	M 20 x 30	10
00912 9200 20 35	M 20 x 35	25
00912 9200 20 40	M 20 x 40	25
00912 9200 20 45	M 20 x 45	25
00912 9200 20 50	M 20 x 50	25
00912 9200 20 55	M 20 x 55	25
00912 9200 20 60	M 20 x 60	25

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 20 65	M 20 x 65	25
00912 9200 20 70	M 20 x 70	25
00912 9200 20 75	M 20 x 75	25
00912 9200 20 80	M 20 x 80	1
00912 9200 20 90	M 20 x 90	1
00912 9200 20 100	M 20 x 100	1
00912 9200 20 110	M 20 x 110	1
00912 9200 20 120	M 20 x 120	1
00912 9200 20 130	M 20 x 130	1
00912 9200 20 140	M 20 x 140	1
00912 9200 20 150	M 20 x 150	1
00912 9200 20 160	M 20 x 160	1
00912 9200 20 170	M 20 x 170	1
00912 9200 20 180	M 20 x 180	1
00912 9200 20 190	M 20 x 190	1
00912 9200 20 200	M 20 x 200	1
00912 9200 22 20	M 22 x 20	25
00912 9200 22 25	M 22 x 25	25
00912 9200 22 40	M 22 x 40	25
00912 9200 22 45	M 22 x 45	25
00912 9200 22 50	M 22 x 50	25
00912 9200 22 55	M 22 x 55	25


Артикулен номер	Размер	Опаковка /бр./
00912 9200 22 60	M 22 x 60	25
00912 9200 22 65	M 22 x 65	25
00912 9200 22 70	M 22 x 70	25
00912 9200 22 75	M 22 x 75	25
00912 9200 22 80	M 22 x 80	25
00912 9200 22 90	M 22 x 90	25
00912 9200 22 100	M 22 x 100	25
00912 9200 22 110	M 22 x 110	1
00912 9200 22 120	M 22 x 120	1
00912 9200 22 130	M 22 x 130	1
00912 9200 22 140	M 22 x 140	1
00912 9200 22 150	M 22 x 150	1
00912 9200 22 160	M 22 x 160	1
00912 9200 22 180	M 22 x 180	1
00912 9200 22 200	M 22 x 200	10
00912 9200 24 40	M 24 x 40	1
00912 9200 24 45	M 24 x 45	1
00912 9200 24 50	M 24 x 50	1
00912 9200 24 55	M 24 x 55	1
00912 9200 24 60	M 24 x 60	1
00912 9200 24 65	M 24 x 65	1
00912 9200 24 70	M 24 x 70	1

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 24 75	M 24 x 75	1
00912 9200 24 80	M 24 x 80	1
00912 9200 24 90	M 24 x 90	1
00912 9200 24 100	M 24 x 100	1
00912 9200 24 110	M 24 x 110	1
00912 9200 24 120	M 24 x 120	1
00912 9200 24 130	M 24 x 130	1
00912 9200 24 140	M 24 x 140	1
00912 9200 24 150	M 24 x 150	1
00912 9200 24 160	M 24 x 160	1
00912 9200 24 170	M 24 x 170	1
00912 9200 24 180	M 24 x 180	1
00912 9200 24 190	M 24 x 190	1
00912 9200 24 200	M 24 x 200	1
00912 9200 27 50	M 27 x 50	1
00912 9200 27 60	M 27 x 60	1
00912 9200 27 70	M 27 x 70	1
00912 9200 27 80	M 27 x 80	1
00912 9200 27 90	M 27 x 90	1
00912 9200 27 100	M 27 x 100	1
00912 9200 27 110	M 27 x 110	1
00912 9200 27 120	M 27 x 120	1


Артикулен номер	Размер	Опаковка /бр./
00912 9200 27 130	M 27 x 130	1
00912 9200 27 140	M 27 x 140	1
00912 9200 27 150	M 27 x 150	1
00912 9200 30 50	M 30 x 50	1
00912 9200 30 60	M 30 x 60	1
00912 9200 30 70	M 30 x 70	1
00912 9200 30 80	M 30 x 80	1
00912 9200 30 90	M 30 x 90	1
00912 9200 30 100	M 30 x 100	1
00912 9200 30 110	M 30 x 110	1
00912 9200 30 120	M 30 x 120	1
00912 9200 30 130	M 30 x 130	1
00912 9200 30 140	M 30 x 140	1
00912 9200 30 150	M 30 x 150	1
00912 9200 30 160	M 30 x 160	1
00912 9200 30 170	M 30 x 170	1
00912 9200 30 180	M 30 x 180	1
00912 9200 30 190	M 30 x 190	1
00912 9200 30 200	M 30 x 200	1
00912 9200 30 220	M 30 x 220	1
00912 9200 30 240	M 30 x 240	1
00912 9200 30 260	M 30 x 260	1

Винт с вътрешен шестостен, DIN 912, A2

DIN 912

~ISO 4762, 12474

Форма:	-	Покритие:	-
Материал:	A2	Задвижване:	ISW
Клас на якост:	-	Тип продукт:	складов

																					
M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
dk	2.6	3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36	40	45	50	54
k	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36
s	1.3	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19	19	22	24	27
b	14	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
M	39	42	45	48	52*	56	64	72													
dk	58	63	68	72	78	84	96	108													
k	39	42	45	48	52	56	64	72													
s	27	32	36	36	36	41	46	55													
b	90	96	102	108	116	124	140	156													

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00912 9200 30 280	M 30 x 280	1
00912 9200 30 300	M 30 x 300	1
00912 9200 30 320	M 30 x 320	1

Артикулен номер	Размер	Опаковка /бр./