


Винт стопорен, DIN 913, 45H, Bl.

DIN 913

~ISO 4026

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	45H	Тип продукт:	складов



M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	20	24
s	0.7	0.7	0.9	1.3	1.5	2	2.5	3	4	5	6	6	8	10	12
dp	0.45	0.8	1	1.5	2	2.5	3.5	4	5.5	7	8.5	10	12	15	18
t1	0.6	0.7	0.8	1.2	1.2	1.5	2	2	3	4	4.8	5.6	6.4	8	10
t2	1.4	0.5	0.7	2	2	2.5	3	3.5	5	6	8	9	10	12	15

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00913 4500 14 2	M 1,4 x 2,5	100
00913 4500 014 25	M 1,4 x 2,5	ask
00913 4500 014 4	M 1,4 x 4	ask
00913 4500 14 4	M 1,4 x 4	100
00913 4500 014 5	M 1,4 x 5	ask
00913 4500 14 5	M 1,4 x 5	100
00913 4500 16 2	M 1,6 x 2,5	100
00913 4500 016 25	M 1,6 x 2,5	ask
00913 4500 016 3	M 1,6 x 3	100
00913 4500 16 3	M 1,6 x 3	100
00913 4500 016 4	M 1,6 x 4	100
00913 4500 16 4	M 1,6 x 4	100
00913 4500 016 5	M 1,6 x 5	100
00913 4500 16 5	M 1,6 x 5	100
00913 4500 2 2	M 2 x 2	100
00913 4500 2 3	M 2 x 3	100
00913 4500 2 4	M 2 x 4	100
00913 4500 2 5	M 2 x 5	100
00913 4500 2 6	M 2 x 6	100
00913 4500 2 8	M 2 x 8	100
00913 4500 2 10	M 2 x 10	100
00913 4500 25 3	M 2,5 x 3	100
00913 4500 25 4	M 2,5 x 4	100
00913 4500 25 5	M 2,5 x 5	100
00913 4500 25 6	M 2,5 x 6	100
00913 4500 25 8	M 2,5 x 8	100
00913 4500 25 10	M 2,5 x 10	100


Артикулен номер	Размер	Опаковка /бр./
00913 4500 3 3	M 3 x 3	200
00913 4500 3 4	M 3 x 4	200
00913 4500 3 5	M 3 x 5	200
00913 4500 3 6	M 3 x 6	1000
00913 4500 3 8	M 3 x 8	1000
00913 4500 3 10	M 3 x 10	200
00913 4500 3 12	M 3 x 12	200
00913 4500 3 16	M 3 x 16	200
00913 4500 3 18	M 3 x 18	200
00913 4500 3 20	M 3 x 20	200
00913 4500 4 4	M 4 x 4	200
00913 4500 4 5	M 4 x 5	200
00913 4500 4 6	M 4 x 6	1000
00913 4500 4 8	M 4 x 8	1000
00913 4500 4 10	M 4 x 10	1000
00913 4500 4 12	M 4 x 12	200
00913 4500 4 16	M 4 x 16	1000
00913 4500 4 18	M 4 x 18	200
00913 4500 4 20	M 4 x 20	200
00913 4500 4 25	M 4 x 25	200
00913 4500 4 30	M 4 x 30	200
00913 4500 4 35	M 4 x 35	200
00913 4500 4 40	M 4 x 40	200
00913 4500 5 4	M 5 x 4	200
00913 4500 5 5	M 5 x 5	200
00913 4500 5 6 05	M 5 x 6 x 0,5	ask
00913 4500 5 6	M 5 x 6	200

Винт стопорен, DIN 913, 45H, Bl.

DIN 913

~ISO 4026

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	45H	Тип продукт:	складов



M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	20	24
s	0.7	0.7	0.9	1.3	1.5	2	2.5	3	4	5	6	6	8	10	12
dp	0.45	0.8	1	1.5	2	2.5	3.5	4	5.5	7	8.5	10	12	15	18
t1	0.6	0.7	0.8	1.2	1.2	1.5	2	2	3	4	4.8	5.6	6.4	8	10
t2	1.4	0.5	0.7	2	2	2.5	3	3.5	5	6	8	9	10	12	15

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00913 4500 5 8	M 5 x 8	1000
00913 4500 5 10	M 5 x 10	500
00913 4500 5 12	M 5 x 12	200
00913 4500 5 16	M 5 x 16	200
00913 4500 5 18	M 5 x 18	200
00913 4500 5 20	M 5 x 20	200
00913 4500 5 25	M 5 x 25	200
00913 4500 5 30	M 5 x 30	200
00913 4500 5 35	M 5 x 35	100
00913 4500 5 40	M 5 x 40	100
00913 4500 6 5	M 6 x 5	200
00913 4500 6 6 05	M 6 x 6 x 0,5	ask
00913 4500 6 6	M 6 x 6	500
00913 4500 6 8	M 6 x 8	500
00913 4500 6 10	M 6 x 10	500
00913 4500 6 12	M 6 x 12	500
00913 4500 6 16	M 6 x 16	500
00913 4500 6 18	M 6 x 18	200
00913 4500 6 20	M 6 x 20	500
00913 4500 6 25	M 6 x 25	200
00913 4500 6 30	M 6 x 30	200
00913 4500 6 35	M 6 x 35	100
00913 4500 6 40	M 6 x 40	100
00913 4500 6 45	M 6 x 45	100
00913 4500 6 50	M 6 x 50	100
00913 4500 6 60	M 6 x 60	100
00913 4500 8 6	M 8 x 6	200


Артикулен номер	Размер	Опаковка /бр./
00913 4500 8 8	M 8 x 8	500
00913 4500 8 10 1	M 8 x 10 x 1	100
00913 4500 8 10	M 8 x 10	200
00913 4500 8 12	M 8 x 12	200
00913 4500 8 16 1	M 8 x 16 x 1	ask
00913 4500 8 16	M 8 x 16	200
00913 4500 8 18	M 8 x 18	200
00913 4500 8 20	M 8 x 20	200
00913 4500 8 25 1	M 8 x 25 x 1	100
00913 4500 8 25	M 8 x 25	200
00913 4500 8 30 1	M 8 x 30 x 1	100
00913 4500 8 30	M 8 x 30	100
00913 4500 8 35 1	M 8 x 35 x 1	ask
00913 4500 8 35	M 8 x 35	100
00913 4500 8 40	M 8 x 40	100
00913 4500 8 45	M 8 x 45	100
00913 4500 8 50	M 8 x 50	100
00913 4500 8 55	M 8 x 55	100
00913 4500 8 60	M 8 x 60	100
00913 4500 8 70	M 8 x 70	100
00913 4500 8 80	M 8 x 80	100
00913 4500 10 8	M 10 x 8	200
00913 4500 10 10	M 10 x 10	200
00913 4500 10 10 1	M 10 x 10 x 1	100
00913 4500 10 12	M 10 x 12	200
00913 4500 10 16	M 10 x 16	200
00913 4500 10 16 1	M 10 x 16 x 1	ask

Винт стопорен, DIN 913, 45H, Bl.

DIN 913

~ISO 4026

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	45H	Тип продукт:	складов



M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	20	24
s	0.7	0.7	0.9	1.3	1.5	2	2.5	3	4	5	6	6	8	10	12
dp	0.45	0.8	1	1.5	2	2.5	3.5	4	5.5	7	8.5	10	12	15	18
t1	0.6	0.7	0.8	1.2	1.2	1.5	2	2	3	4	4.8	5.6	6.4	8	10
t2	1.4	0.5	0.7	2	2	2.5	3	3.5	5	6	8	9	10	12	15

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00913 4500 10 18	M 10 x 18	200
00913 4500 10 20	M 10 x 20	200
00913 4500 10 20 1	M 10 x 20 x 1	ask
00913 4500 10 25	M 10 x 25	100
00913 4500 10 25 1	M 10 x 25 x 1	100
00913 4500 10 30	M 10 x 30	100
00913 4500 10 30 125	M 10 x 30 x 1,25	100
00913 4500 10 35	M 10 x 35	100
00913 4500 10 40	M 10 x 40	100
00913 4500 10 45	M 10 x 45	100
00913 4500 10 50	M 10 x 50	100
00913 4500 10 55	M 10 x 55	100
00913 4500 10 60	M 10 x 60	100
00913 4500 10 70	M 10 x 70	100
00913 4500 10 80	M 10 x 80	100
00913 4500 12 10	M 12 x 10	100
00913 4500 12 10 125	M 12 x 10 x 1,25	50
00913 4500 12 12	M 12 x 12	100
00913 4500 12 16	M 12 x 16	100
00913 4500 12 16 1	M 12 x 16 x 1	100
00913 4500 12 18	M 12 x 18	100
00913 4500 12 20	M 12 x 20	100
00913 4500 12 20 125	M 12 x 20 x 1,25	50
00913 4500 12 25	M 12 x 25	100
00913 4500 12 25 125	M 12 x 25 x 1,25	ask
00913 4500 12 30	M 12 x 30	100
00913 4500 12 30 125	M 12 x 30 x 1,25	ask


Артикулен номер	Размер	Опаковка /бр./
00913 4500 12 35	M 12 x 35	100
00913 4500 12 40	M 12 x 40	100
00913 4500 12 45	M 12 x 45	100
00913 4500 12 50	M 12 x 50	100
00913 4500 12 55	M 12 x 55	100
00913 4500 12 60	M 12 x 60	50
00913 4500 12 70	M 12 x 70	50
00913 4500 12 80	M 12 x 80	50
00913 4500 12 100	M 12 x 100	50
00913 4500 14 16 15	M 14 x 16 x 1,5	50
00913 4500 14 16	M 14 x 16	50
00913 4500 14 20 15	M 14 x 20 x 1,5	ask
00913 4500 14 20	M 14 x 20	100
00913 4500 14 25	M 14 x 25	100
00913 4500 14 30	M 14 x 30	100
00913 4500 14 35	M 14 x 35	ask
00913 4500 14 40	M 14 x 40	50
00913 4500 14 50 15	M 14 x 50 x 1,5	ask
00913 4500 14 50	M 14 x 50	50
00913 4500 14 60	M 14 x 60	ask
00913 4500 16 12 1	M 16 x 12 x 1	50
00913 4500 16 16	M 16 x 16	100
00913 4500 16 18	M 16 x 18	100
00913 4500 16 20	M 16 x 20	100
00913 4500 16 25	M 16 x 25	100
00913 4500 16 30 15	M 16 x 30 x 1,5	ask
00913 4500 16 30	M 16 x 30	100

Винт стопорен, DIN 913, 45H, Bl.

DIN 913

~ISO 4026

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	45H	Тип продукт:	складов



M	1.4	1.6	2	2.5	3	4	5	6	8	10	12	14	16	20	24
s	0.7	0.7	0.9	1.3	1.5	2	2.5	3	4	5	6	6	8	10	12
dp	0.45	0.8	1	1.5	2	2.5	3.5	4	5.5	7	8.5	10	12	15	18
t1	0.6	0.7	0.8	1.2	1.2	1.5	2	2	3	4	4.8	5.6	6.4	8	10
t2	1.4	0.5	0.7	2	2	2.5	3	3.5	5	6	8	9	10	12	15

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00913 4500 16 35	M 16 x 35	100
00913 4500 16 40	M 16 x 40	50
00913 4500 16 45	M 16 x 45	50
00913 4500 16 50	M 16 x 50	50
00913 4500 16 55	M 16 x 55	50
00913 4500 16 60	M 16 x 60	50
00913 4500 16 70	M 16 x 70	50
00913 4500 16 80	M 16 x 80	50
00913 4500 16 90	M 16 x 90	25
00913 4500 16 100	M 16 x 100	25
00913 4500 20 50 15	M 20 x 1,5 x 50	25
00913 4500 20 20	M 20 x 20	100
00913 4500 20 25	M 20 x 25	100
00913 4500 20 30	M 20 x 30	50
00913 4500 20 35	M 20 x 35	50
00913 4500 20 40	M 20 x 40	50
00913 4500 20 45	M 20 x 45	50
00913 4500 20 50	M 20 x 50	50
00913 4500 20 60	M 20 x 60	25
00913 4500 20 70	M 20 x 70	25
00913 4500 20 80	M 20 x 80	25
00913 4500 20 90	M 20 x 90	25
00913 4500 24 30	M 24 x 30	50
00913 4500 24 35	M 24 x 35	50
00913 4500 24 40	M 24 x 40	25
00913 4500 24 50	M 24 x 50	25
00913 4500 24 60	M 24 x 60	25

Артикулен номер	Размер	Опаковка /бр./
00913 4500 24 70	M 24 x 70	25
00913 4500 24 80	M 24 x 80	25
00913 4500 24 90	M 24 x 90	25
00913 4500 24 100	M 24 x 100	25