


Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

l≤125 mm - b1

l≤200 mm - b2

l>200 mm - b3

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 3 30	M 3 x 30	ask
00931 1001 3 35	M 3 x 35	ask
00931 1001 3 40	M 3 x 40	ask
00931 1001 4 25	M 4 x 25	ask
00931 1001 4 30	M 4 x 30	ask
00931 1001 4 35	M 4 x 35	ask
00931 1001 4 40	M 4 x 40	ask
00931 1001 4 45	M 4 x 45	ask
00931 1001 4 50	M 4 x 50	ask
00931 1001 4 55	M 4 x 55	ask
00931 1001 4 60	M 4 x 60	ask
00931 1001 4 65	M 4 x 65	ask
00931 1001 4 70	M 4 x 70	ask
00931 1001 4 80	M 4 x 80	ask
00931 1001 4 100	M 4 x 100	ask
00931 1001 5 110	M 5 x 110	ask
00931 1001 5 120	M 5 x 120	ask
00931 1001 5 130	M 5 x 130	ask
00931 1001 5 140	M 5 x 140	ask
00931 1001 6 50	M 6 x 50	200


Артикулен номер	Размер	Опаковка /бр./
00931 1001 6 60	M 6 x 60	200
00931 1001 6 130	M 6 x 130	100
00931 1001 6 140	M 6 x 140	100
00931 1001 6 150	M 6 x 150	ask
00931 1001 6 160	M 6 x 160	ask
00931 1001 6 170	M 6 x 170	ask
00931 1001 6 180	M 6 x 180	ask
00931 1001 6 190	M 6 x 190	ask
00931 1001 6 200	M 6 x 200	ask
00931 1001 7 30	M 7 x 30	ask
00931 1001 7 35	M 7 x 35	ask
00931 1001 7 40	M 7 x 40	ask
00931 1001 7 45	M 7 x 45	ask
00931 1001 7 50	M 7 x 50	ask
00931 1001 7 55	M 7 x 55	ask
00931 1001 7 60	M 7 x 60	ask
00931 1001 7 80	M 7 x 80	ask
00931 1001 8 30	M 8 x 30	ask
00931 1001 8 35	M 8 x 35	200
00931 1001 8 40	M 8 x 40	200

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

l≤125 mm - b1

l≤200 mm - b2

l>200 mm - b3

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 8 45	M 8 x 45	200
00931 1001 8 50	M 8 x 50	200
00931 1001 8 55	M 8 x 55	200
00931 1001 8 60	M 8 x 60	200
00931 1001 8 65	M 8 x 65	200
00931 1001 8 70	M 8 x 70	200
00931 1001 8 75	M 8 x 75	200
00931 1001 8 100	M 8 x 100	100
00931 1001 8 160	M 8 x 160	100
00931 1001 8 170	M 8 x 170	100
00931 1001 8 180	M 8 x 180	100
00931 1001 8 190	M 8 x 190	100
00931 1001 8 200	M 8 x 200	100
00931 1001 8 210	M 8 x 210	ask
00931 1001 8 220	M 8 x 220	100
00931 1001 8 230	M 8 x 230	ask
00931 1001 8 240	M 8 x 240	100
00931 1001 8 250	M 8 x 250	ask
00931 1001 8 260	M 8 x 260	100
00931 1001 8 280	M 8 x 280	100


Артикулен номер	Размер	Опаковка /бр./
00931 1001 8 300	M 8 x 300	100
00931 1001 10 40	M 10 x 40	100
00931 1001 10 45	M 10 x 45	100
00931 1001 10 50	M 10 x 50	100
00931 1001 10 55	M 10 x 55	100
00931 1001 10 60	M 10 x 60	100
00931 1001 10 65	M 10 x 65	100
00931 1001 10 70	M 10 x 70	100
00931 1001 10 75	M 10 x 75	100
00931 1001 10 80	M 10 x 80	100
00931 1001 10 90	M 10 x 90	100
00931 1001 10 95	M 10 x 95	ask
00931 1001 10 100	M 10 x 100	100
00931 1001 10 110	M 10 x 110	50
00931 1001 10 120	M 10 x 120	50
00931 1001 10 130	M 10 x 130	50
00931 1001 10 140	M 10 x 140	100
00931 1001 10 150	M 10 x 150	50
00931 1001 10 160	M 10 x 160	50
00931 1001 10 170	M 10 x 170	50

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 10 180	M 10 x 180	50
00931 1001 10 190	M 10 x 190	50
00931 1001 10 200	M 10 x 200	50
00931 1001 10 210	M 10 x 210	25
00931 1001 10 220	M 10 x 220	50
00931 1001 10 230	M 10 x 230	ask
00931 1001 10 240	M 10 x 240	50
00931 1001 10 250	M 10 x 250	ask
00931 1001 10 260	M 10 x 260	50
00931 1001 10 270	M 10 x 270	ask
00931 1001 10 280	M 10 x 280	50
00931 1001 10 290	M 10 x 290	ask
00931 1001 10 300	M 10 x 300	50
00931 1001 12 45	M 12 x 45	100
00931 1001 12 50	M 12 x 50	100
00931 1001 12 55	M 12 x 55	100
00931 1001 12 60	M 12 x 60	100
00931 1001 12 65	M 12 x 65	50
00931 1001 12 70	M 12 x 70	50
00931 1001 12 75	M 12 x 75	50


Артикулен номер	Размер	Опаковка /бр./
00931 1001 12 80	M 12 x 80	50
00931 1001 12 90	M 12 x 90	50
00931 1001 12 100	M 12 x 100	50
00931 1001 12 110	M 12 x 110	50
00931 1001 12 120	M 12 x 120	50
00931 1001 12 130	M 12 x 130	50
00931 1001 12 140	M 12 x 140	50
00931 1001 12 150	M 12 x 150	50
00931 1001 12 160	M 12 x 160	25
00931 1001 12 170	M 12 x 170	25
00931 1001 12 180	M 12 x 180	25
00931 1001 12 200	M 12 x 200	25
00931 1001 12 210	M 12 x 210	25
00931 1001 12 220	M 12 x 220	25
00931 1001 12 230	M 12 x 230	ask
00931 1001 12 240	M 12 x 240	25
00931 1001 12 250	M 12 x 250	ask
00931 1001 12 260	M 12 x 260	25
00931 1001 12 270	M 12 x 270	ask
00931 1001 12 280	M 12 x 280	25

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-	l≤125 mm - b1 l≤200 mm - b2 l>200 mm - b3															
b2	102	108	116	124	140																
b3	115	121	129	137	153																

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 12 290	M 12 x 290	ask
00931 1001 12 300	M 12 x 300	25
00931 1001 14 50	M 14 x 50	50
00931 1001 14 55	M 14 x 55	50
00931 1001 14 65	M 14 x 65	50
00931 1001 14 70	M 14 x 70	50
00931 1001 14 75	M 14 x 75	50
00931 1001 14 80	M 14 x 80	50
00931 1001 14 100	M 14 x 100	50
00931 1001 14 210	M 14 x 210	ask
00931 1001 14 220	M 14 x 220	25
00931 1001 14 230	M 14 x 230	ask
00931 1001 14 240	M 14 x 240	25
00931 1001 14 250	M 14 x 250	ask
00931 1001 14 260	M 14 x 260	25
00931 1001 14 270	M 14 x 270	ask
00931 1001 14 280	M 14 x 280	25
00931 1001 14 290	M 14 x 290	ask
00931 1001 14 300	M 14 x 300	25
00931 1001 16 50	M 16 x 50	50


Артикулен номер	Размер	Опаковка /бр./
00931 1001 16 55	M 16 x 55	50
00931 1001 16 60	M 16 x 60	50
00931 1001 16 65	M 16 x 65	25
00931 1001 16 70	M 16 x 70	25
00931 1001 16 75	M 16 x 75	25
00931 1001 16 80	M 16 x 80	25
00931 1001 16 90	M 16 x 90	25
00931 1001 16 100	M 16 x 100	25
00931 1001 16 110	M 16 x 110	25
00931 1001 16 120	M 16 x 120	25
00931 1001 16 130	M 16 x 130	25
00931 1001 16 140	M 16 x 140	25
00931 1001 16 150	M 16 x 150	25
00931 1001 16 160	M 16 x 160	25
00931 1001 16 180	M 16 x 180	25
00931 1001 16 200	M 16 x 200	25
00931 1001 16 210	M 16 x 210	25
00931 1001 16 220	M 16 x 220	25
00931 1001 16 230	M 16 x 230	25
00931 1001 16 240	M 16 x 240	25

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 16 250	M 16 x 250	25
00931 1001 16 260	M 16 x 260	25
00931 1001 16 270	M 16 x 270	25
00931 1001 16 280	M 16 x 280	25
00931 1001 16 290	M 16 x 290	1
00931 1001 16 300	M 16 x 300	1
00931 1001 18 60	M 18 x 60	25
00931 1001 18 65	M 18 x 65	25
00931 1001 18 70	M 18 x 70	25
00931 1001 18 75	M 18 x 75	25
00931 1001 18 80	M 18 x 80	25
00931 1001 18 210	M 18 x 210	ask
00931 1001 18 220	M 18 x 220	1
00931 1001 18 230	M 18 x 230	ask
00931 1001 18 240	M 18 x 240	1
00931 1001 18 250	M 18 x 250	ask
00931 1001 18 260	M 18 x 260	1
00931 1001 18 270	M 18 x 270	ask
00931 1001 18 280	M 18 x 280	1
00931 1001 18 290	M 18 x 290	ask


Артикулен номер	Размер	Опаковка /бр./
00931 1001 18 300	M 18 x 300	1
00931 1001 20 60	M 20 x 60	25
00931 1001 20 65	M 20 x 65	25
00931 1001 20 70	M 20 x 70	25
00931 1001 20 75	M 20 x 75	25
00931 1001 20 80	M 20 x 80	25
00931 1001 20 85	M 20 x 85	ask
00931 1001 20 90	M 20 x 90	25
00931 1001 20 100	M 20 x 100	25
00931 1001 20 110	M 20 x 110	25
00931 1001 20 120	M 20 x 120	25
00931 1001 20 130	M 20 x 130	25
00931 1001 20 140	M 20 x 140	25
00931 1001 20 150	M 20 x 150	25
00931 1001 20 160	M 20 x 160	10
00931 1001 20 180	M 20 x 180	10
00931 1001 20 200	M 20 x 200	10
00931 1001 20 210	M 20 x 210	1
00931 1001 20 220	M 20 x 220	1
00931 1001 20 230	M 20 x 230	1

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-	l≤125 mm - b1 l≤200 mm - b2 l>200 mm - b3															
b2	102	108	116	124	140																
b3	115	121	129	137	153																

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 20 240	M 20 x 240	1
00931 1001 20 250	M 20 x 250	1
00931 1001 20 260	M 20 x 260	1
00931 1001 20 270	M 20 x 270	1
00931 1001 20 280	M 20 x 280	1
00931 1001 20 290	M 20 x 290	1
00931 1001 20 300	M 20 x 300	1
00931 1001 22 70	M 22 x 70	25
00931 1001 22 80	M 22 x 80	25
00931 1001 22 90	M 22 x 90	25
00931 1001 22 100	M 22 x 100	10
00931 1001 22 110	M 22 x 110	10
00931 1001 22 120	M 22 x 120	10
00931 1001 22 130	M 22 x 130	10
00931 1001 22 140	M 22 x 140	10
00931 1001 22 150	M 22 x 150	10
00931 1001 22 160	M 22 x 160	10
00931 1001 22 180	M 22 x 180	1
00931 1001 22 200	M 22 x 200	1
00931 1001 22 210	M 22 x 210	ask


Артикулен номер	Размер	Опаковка /бр./
00931 1001 22 220	M 22 x 220	1
00931 1001 22 230	M 22 x 230	1
00931 1001 22 240	M 22 x 240	1
00931 1001 22 250	M 22 x 250	ask
00931 1001 22 260	M 22 x 260	1
00931 1001 22 270	M 22 x 270	ask
00931 1001 22 280	M 22 x 280	1
00931 1001 22 290	M 22 x 290	ask
00931 1001 22 300	M 22 x 300	1
00931 1001 24 65	M 24 x 65	25
00931 1001 24 70	M 24 x 70	25
00931 1001 24 75	M 24 x 75	25
00931 1001 24 80	M 24 x 80	25
00931 1001 24 90	M 24 x 90	10
00931 1001 24 100	M 24 x 100	10
00931 1001 24 110	M 24 x 110	10
00931 1001 24 120	M 24 x 120	10
00931 1001 24 130	M 24 x 130	10
00931 1001 24 140	M 24 x 140	10
00931 1001 24 150	M 24 x 150	10

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-	l≤125 mm - b1 l≤200 mm - b2 l>200 mm - b3															
b2	102	108	116	124	140																
b3	115	121	129	137	153																

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 24 160	M 24 x 160	ask
00931 1001 24 180	M 24 x 180	1
00931 1001 24 200	M 24 x 200	1
00931 1001 24 210	M 24 x 210	1
00931 1001 24 220	M 24 x 220	1
00931 1001 24 230	M 24 x 230	1
00931 1001 24 240	M 24 x 240	1
00931 1001 24 250	M 24 x 250	1
00931 1001 24 260	M 24 x 260	1
00931 1001 24 270	M 24 x 270	1
00931 1001 24 280	M 24 x 280	1
00931 1001 24 290	M 24 x 290	1
00931 1001 24 300	M 24 x 300	1
00931 1001 24 340	M 24 x 340	1
00931 1001 27 85	M 27 x 85	10
00931 1001 27 90	M 27 x 90	10
00931 1001 27 100	M 27 x 100	10
00931 1001 27 110	M 27 x 110	10
00931 1001 27 120	M 27 x 120	10
00931 1001 27 130	M 27 x 130	10


Артикулен номер	Размер	Опаковка /бр./
00931 1001 27 140	M 27 x 140	1
00931 1001 27 150	M 27 x 150	1
00931 1001 27 160	M 27 x 160	1
00931 1001 27 180	M 27 x 180	1
00931 1001 27 200	M 27 x 200	1
00931 1001 27 210	M 27 x 210	1
00931 1001 27 220	M 27 x 220	1
00931 1001 27 230	M 27 x 230	1
00931 1001 27 240	M 27 x 240	1
00931 1001 27 250	M 27 x 250	1
00931 1001 27 260	M 27 x 260	1
00931 1001 27 270	M 27 x 270	1
00931 1001 27 280	M 27 x 280	1
00931 1001 27 290	M 27 x 290	1
00931 1001 27 300	M 27 x 300	1
00931 1001 27 340	M 27 x 340	ask
00931 1001 27 450	M 27 x 450	ask
00931 1001 27 465	M 27 x 465	ask
00931 1001 30 100	M 30 x 100	1
00931 1001 30 110	M 30 x 110	1

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

l≤125 mm - b1

l≤200 mm - b2

l>200 mm - b3

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 30 120	M 30 x 120	1
00931 1001 30 130	M 30 x 130	1
00931 1001 30 140	M 30 x 140	1
00931 1001 30 150	M 30 x 150	1
00931 1001 30 160	M 30 x 160	1
00931 1001 30 180	M 30 x 180	1
00931 1001 30 200	M 30 x 200	1
00931 1001 30 210	M 30 x 210	1
00931 1001 30 220	M 30 x 220	1
00931 1001 30 240	M 30 x 240	1
00931 1001 30 250	M 30 x 250	1
00931 1001 30 260	M 30 x 260	1
00931 1001 30 270	M 30 x 270	1
00931 1001 30 280	M 30 x 280	1
00931 1001 30 290	M 30 x 290	1
00931 1001 30 300	M 30 x 300	1
00931 1001 33 90	M 33 x 90	ask
00931 1001 33 100	M 33 x 100	1
00931 1001 33 110	M 33 x 110	1
00931 1001 33 120	M 33 x 120	1


Артикулен номер	Размер	Опаковка /бр./
00931 1001 33 130	M 33 x 130	1
00931 1001 33 140	M 33 x 140	1
00931 1001 33 150	M 33 x 150	1
00931 1001 33 160	M 33 x 160	1
00931 1001 33 170	M 33 x 170	1
00931 1001 33 180	M 33 x 180	1
00931 1001 33 190	M 33 x 190	1
00931 1001 33 200	M 33 x 200	1
00931 1001 33 210	M 33 x 210	ask
00931 1001 33 220	M 33 x 220	1
00931 1001 33 240	M 33 x 240	1
00931 1001 33 260	M 33 x 260	1
00931 1001 33 280	M 33 x 280	1
00931 1001 33 300	M 33 x 300	1
00931 1001 36 100	M 36 x 100	1
00931 1001 36 110	M 36 x 110	1
00931 1001 36 120	M 36 x 120	1
00931 1001 36 130	M 36 x 130	1
00931 1001 36 140	M 36 x 140	1
00931 1001 36 150	M 36 x 150	1

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

l≤125 mm - b1

l≤200 mm - b2

l>200 mm - b3

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
00931 1001 36 160	M 36 x 160	1
00931 1001 36 170	M 36 x 170	1
00931 1001 36 180	M 36 x 180	1
00931 1001 36 190	M 36 x 190	1
00931 1001 36 200	M 36 x 200	1
00931 1001 36 220	M 36 x 220	1
00931 1001 36 240	M 36 x 240	1
00931 1001 36 250	M 36 x 250	1
00931 1001 36 260	M 36 x 260	1
00931 1001 36 280	M 36 x 280	1
00931 1001 36 300	M 36 x 300	1
00931 1001 39 110	M 39 x 110	1
00931 1001 39 120	M 39 x 120	1
00931 1001 39 130	M 39 x 130	1
00931 1001 39 140	M 39 x 140	1
00931 1001 39 150	M 39 x 150	1
00931 1001 39 160	M 39 x 160	1
00931 1001 39 170	M 39 x 170	1
00931 1001 39 180	M 39 x 180	1
00931 1001 39 190	M 39 x 190	ask


Артикулен номер	Размер	Опаковка /бр./
00931 1001 39 200	M 39 x 200	1
00931 1001 42 120	M 42 x 120	1
00931 1001 45 120	M 42 x 120	ask
00931 1001 42 130	M 42 x 130	1
00931 1001 45 130	M 42 x 130	1
00931 1001 42 140	M 42 x 140	1
00931 1001 45 140	M 42 x 140	1
00931 1001 42 150	M 42 x 150	1
00931 1001 42 160	M 42 x 160	1
00931 1001 45 160	M 42 x 160	1
00931 1001 45 180	M 42 x 160	1
00931 1001 42 170	M 42 x 170	1
00931 1001 45 170	M 42 x 170	ask
00931 1001 42 180	M 42 x 180	1
00931 1001 42 190	M 42 x 190	1
00931 1001 42 200	M 42 x 200	1
00931 1001 45 200	M 42 x 200	1
00931 1001 42 220	M 42 x 220	1
00931 1001 42 240	M 42 x 240	1
00931 1001 42 260	M 42 x 260	1

Болт с шестостенна глава, DIN 931, 10.9, vZn

DIN 931

~ISO 4014

Форма:	-	Покритие:	ZN
Материал:	въглеродна стомана	Задвижване:	SW
Клас на якост:	10.9	Тип продукт:	складов

																					
M	2	3	4	5	6	7	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42
s	4	5,5	7	8	10	11	13	17	19	22	24	27	30	32	36	41	46	50	55	60	65
k	1,4	2	2,8	3,5	4	4,8	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5	25	26
b1	10	12	14	16	18	20	22	26	30	34	38	42	46	50	54	60	66	72	78	84	90
b2	-	-	-	22	24	26	28	32	36	40	44	48	52	56	60	66	72	78	84	90	96
b3	-	-	-	-	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97	103	109
M	45	48	52	56	64																
s	70	75	80	85	95																
k	28	30	33	35	40																
b1	96	102	-	-	-																
b2	102	108	116	124	140																
b3	115	121	129	137	153																

l≤125 mm - b1

l≤200 mm - b2

l>200 mm - b3