


Винт с ниска глава, DIN 6912, 8.8, Bl.

DIN 6912

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов



M	4	5	6	8	10	12	14	16	20	22	24	30	36	l≤125 mm - b1 l>125 mm - b2 l>200 mm - b3
dk	7	8,5	10	13	16	18	21	24	30	33	36	45	54	
k	2,8	3,5	4	5	6,5	7,5	8,5	10	12	13	14	17,5	21,5	
s	3	4	5	6	8	10	12	14	17	17	19	22	27	
b1	14	16	18	22	26	30	34	38	46	50	54	66	78	
b2	-	-	-	-	32	36	40	44	52	56	60	72	84	l>200 mm - b3
b3	-	-	-	-	-	-	-	57	65	69	73	85	97	

* Всички размери са в милиметри /mm/!


Артикулен номер	Размер	Опаковка /бр./
06912 8800 4 6	M 4 x 6	500
06912 8800 4 8	M 4 x 8	500
06912 8800 4 10	M 4 x 10	500
06912 8800 4 12	M 4 x 12	500
06912 8800 4 16	M 4 x 16	500
06912 8800 4 18	M 4 x 18	500
06912 8800 4 20	M 4 x 20	500
06912 8800 4 25	M 4 x 25	500
06912 8800 4 30	M 4 x 30	500
06912 8800 4 35	M 4 x 35	500
06912 8800 4 40	M 4 x 40	500
06912 8800 5 6	M 5 x 6	500
06912 8800 5 8	M 5 x 8	500
06912 8800 5 10	M 5 x 10	500
06912 8800 5 12	M 5 x 12	500
06912 8800 5 16	M 5 x 16	500
06912 8800 5 18	M 5 x 18	500
06912 8800 5 20	M 5 x 20	500
06912 8800 5 25	M 5 x 25	500
06912 8800 5 30	M 5 x 30	500
06912 8800 5 35	M 5 x 35	200
06912 8800 5 40	M 5 x 40	200
06912 8800 5 45	M 5 x 45	200
06912 8800 5 50	M 5 x 50	200
06912 8800 5 55	M 5 x 55	200

Артикулен номер	Размер	Опаковка /бр./
06912 8800 5 60	M 5 x 60	200
06912 8800 6 8	M 6 x 8	500
06912 8800 6 10	M 6 x 10	500
06912 8800 6 12	M 6 x 12	500
06912 8800 6 16	M 6 x 16	500
06912 8800 6 18	M 6 x 18	500
06912 8800 6 20	M 6 x 20	500
06912 8800 6 22	M 6 x 22	500
06912 8800 6 25	M 6 x 25	500
06912 8800 6 30	M 6 x 30	500
06912 8800 6 35	M 6 x 35	200
06912 8800 6 40	M 6 x 40	200
06912 8800 6 45	M 6 x 45	200
06912 8800 6 50	M 6 x 50	200
06912 8800 6 55	M 6 x 55	200
06912 8800 6 60	M 6 x 60	200
06912 8800 6 65	M 6 x 65	200
06912 8800 6 70	M 6 x 70	200
06912 8800 6 75	M 6 x 75	200
06912 8800 6 80	M 6 x 80	200
06912 8800 6 90	M 6 x 90	200
06912 8800 6 100	M 6 x 100	200
06912 8800 6 110	M 6 x 110	200
06912 8800 6 120	M 6 x 120	200
06912 8800 8 10	M 8 x 10	200

Винт с ниска глава, DIN 6912, 8.8, Bl.

DIN 6912

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

															
M	4	5	6	8	10	12	14	16	20	22	24	30	36		
dk	7	8,5	10	13	16	18	21	24	30	33	36	45	54		
k	2,8	3,5	4	5	6,5	7,5	8,5	10	12	13	14	17,5	21,5		
s	3	4	5	6	8	10	12	14	17	17	19	22	27		
b1	14	16	18	22	26	30	34	38	46	50	54	66	78	l≤125 mm - b1	
b2	-	-	-	-	32	36	40	44	52	56	60	72	84	l>125 mm - b2	
b3	-	-	-	-	-	-	-	57	65	69	73	85	97	l>200 mm - b3	

* Всички размери са в милиметри /mm/!


Артикулен номер	Размер	Опаковка /бр./
06912 8800 8 12	M 8 x 12	200
06912 8800 8 16	M 8 x 16	200
06912 8800 8 18	M 8 x 18	200
06912 8800 8 20	M 8 x 20	200
06912 8800 8 22	M 8 x 22	200
06912 8800 8 25	M 8 x 25	200
06912 8800 8 30	M 8 x 30	200
06912 8800 8 35	M 8 x 35	200
06912 8800 8 40	M 8 x 40	200
06912 8800 8 45	M 8 x 45	200
06912 8800 8 50	M 8 x 50	200
06912 8800 8 55	M 8 x 55	200
06912 8800 8 60	M 8 x 60	200
06912 8800 8 65	M 8 x 65	200
06912 8800 8 70	M 8 x 70	200
06912 8800 8 75	M 8 x 75	200
06912 8800 8 80	M 8 x 80	200
06912 8800 8 90	M 8 x 90	100
06912 8800 8 100	M 8 x 100	100
06912 8800 8 110	M 8 x 110	100
06912 8800 8 120	M 8 x 120	100
06912 8800 10 12	M 10 x 12	200
06912 8800 10 16	M 10 x 16	200
06912 8800 10 18	M 10 x 18	200
06912 8800 10 20	M 10 x 20	200

Артикулен номер	Размер	Опаковка /бр./
06912 8800 10 22	M 10 x 22	200
06912 8800 10 25	M 10 x 25	200
06912 8800 10 30	M 10 x 30	200
06912 8800 10 35	M 10 x 35	200
06912 8800 10 40	M 10 x 40	100
06912 8800 10 45	M 10 x 45	100
06912 8800 10 50	M 10 x 50	100
06912 8800 10 55	M 10 x 55	100
06912 8800 10 60	M 10 x 60	100
06912 8800 10 65	M 10 x 65	100
06912 8800 10 70	M 10 x 70	100
06912 8800 10 75	M 10 x 75	100
06912 8800 10 80	M 10 x 80	100
06912 8800 10 90	M 10 x 90	100
06912 8800 10 100	M 10 x 100	100
06912 8800 10 110	M 10 x 110	100
06912 8800 10 120	M 10 x 120	100
06912 8800 10 130	M 10 x 130	50
06912 8800 10 140	M 10 x 140	50
06912 8800 12 16	M 12 x 16	100
06912 8800 12 18	M 12 x 18	100
06912 8800 12 20	M 12 x 20	100
06912 8800 12 25	M 12 x 25	100
06912 8800 12 30	M 12 x 30	100
06912 8800 12 35	M 12 x 35	100

Винт с ниска глава, DIN 6912, 8.8, Bl.

DIN 6912

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

													
M	4	5	6	8	10	12	14	16	20	22	24	30	36
dk	7	8,5	10	13	16	18	21	24	30	33	36	45	54
k	2,8	3,5	4	5	6,5	7,5	8,5	10	12	13	14	17,5	21,5
s	3	4	5	6	8	10	12	14	17	17	19	22	27
b1	14	16	18	22	26	30	34	38	46	50	54	66	78
b2	-	-	-	-	32	36	40	44	52	56	60	72	84
b3	-	-	-	-	-	-	-	57	65	69	73	85	97

l≤125 mm - b1

l>125 mm - b2

l>200 mm - b3

* Всички размери са в милиметри /mm/!


Артикулен номер	Размер	Опаковка /бр./
06912 8800 12 40	M 12 x 40	100
06912 8800 12 45	M 12 x 45	100
06912 8800 12 50	M 12 x 50	100
06912 8800 12 55	M 12 x 55	100
06912 8800 12 60	M 12 x 60	100
06912 8800 12 65	M 12 x 65	100
06912 8800 12 70	M 12 x 70	100
06912 8800 12 75	M 12 x 75	50
06912 8800 12 80	M 12 x 80	50
06912 8800 12 90	M 12 x 90	50
06912 8800 12 100	M 12 x 100	50
06912 8800 12 110	M 12 x 110	50
06912 8800 12 120	M 12 x 120	50
06912 8800 12 130	M 12 x 130	50
06912 8800 12 140	M 12 x 140	50
06912 8800 12 150	M 12 x 150	50
06912 8800 12 160	M 12 x 160	1
06912 8800 12 180	M 12 x 180	1
06912 8800 14 30	M 14 x 30	100
06912 8800 14 35	M 14 x 35	100
06912 8800 14 40	M 14 x 40	100
06912 8800 14 45	M 14 x 45	50
06912 8800 14 50	M 14 x 50	50
06912 8800 14 60	M 14 x 60	50
06912 8800 14 70	M 14 x 70	50

Артикулен номер	Размер	Опаковка /бр./
06912 8800 14 75	M 14 x 75	50
06912 8800 14 80	M 14 x 80	50
06912 8800 14 90	M 14 x 90	50
06912 8800 14 100	M 14 x 100	50
06912 8800 16 25	M 16 x 25	50
06912 8800 16 30	M 16 x 30	50
06912 8800 16 35	M 16 x 35	50
06912 8800 16 40	M 16 x 40	50
06912 8800 16 45	M 16 x 45	50
06912 8800 16 50	M 16 x 50	50
06912 8800 16 55	M 16 x 55	50
06912 8800 16 60	M 16 x 60	50
06912 8800 16 65	M 16 x 65	50
06912 8800 16 70	M 16 x 70	50
06912 8800 16 75	M 16 x 75	50
06912 8800 16 80	M 16 x 80	50
06912 8800 16 90	M 16 x 90	25
06912 8800 16 100	M 16 x 100	25
06912 8800 16 110	M 16 x 110	25
06912 8800 16 120	M 16 x 120	25
06912 8800 16 130	M 16 x 130	25
06912 8800 16 140	M 16 x 140	25
06912 8800 16 150	M 16 x 150	25
06912 8800 16 160	M 16 x 160	25
06912 8800 16 180	M 16 x 180	25

Винт с ниска глава, DIN 6912, 8.8, Bl.

DIN 6912

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов

													
M	4	5	6	8	10	12	14	16	20	22	24	30	36
dk	7	8,5	10	13	16	18	21	24	30	33	36	45	54
k	2,8	3,5	4	5	6,5	7,5	8,5	10	12	13	14	17,5	21,5
s	3	4	5	6	8	10	12	14	17	17	19	22	27
b1	14	16	18	22	26	30	34	38	46	50	54	66	78
b2	-	-	-	-	32	36	40	44	52	56	60	72	84
b3	-	-	-	-	-	-	-	57	65	69	73	85	97

l≤125 mm - b1

l>125 mm - b2

l>200 mm - b3

* Всички размери са в милиметри /mm/!


Артикулен номер	Размер	Опаковка /бр./
06912 8800 16 200	M 16 x 200	25
06912 8800 20 30	M 20 x 30	25
06912 8800 20 35	M 20 x 35	25
06912 8800 20 40	M 20 x 40	25
06912 8800 20 45	M 20 x 45	25
06912 8800 20 50	M 20 x 50	25
06912 8800 20 55	M 20 x 55	25
06912 8800 20 60	M 20 x 60	25
06912 8800 20 65	M 20 x 65	25
06912 8800 20 70	M 20 x 70	25
06912 8800 20 75	M 20 x 75	25
06912 8800 20 80	M 20 x 80	25
06912 8800 20 90	M 20 x 90	25
06912 8800 20 100	M 20 x 100	25
06912 8800 20 110	M 20 x 110	25
06912 8800 20 120	M 20 x 120	25
06912 8800 20 130	M 20 x 130	25
06912 8800 20 140	M 20 x 140	25
06912 8800 20 150	M 20 x 150	25
06912 8800 20 160	M 20 x 160	10
06912 8800 20 180	M 20 x 180	10
06912 8800 20 200	M 20 x 200	10
06912 8800 20 220	M 20 x 220	1
06912 8800 24 40	M 24 x 40	1
06912 8800 24 45	M 24 x 45	1

Артикулен номер	Размер	Опаковка /бр./
06912 8800 24 50	M 24 x 50	1
06912 8800 24 55	M 24 x 55	1
06912 8800 24 60	M 24 x 60	1
06912 8800 24 65	M 24 x 65	1
06912 8800 24 70	M 24 x 70	1
06912 8800 24 75	M 24 x 75	1
06912 8800 24 80	M 24 x 80	1
06912 8800 24 90	M 24 x 90	1
06912 8800 24 100	M 24 x 100	1
06912 8800 24 110	M 24 x 110	1
06912 8800 24 120	M 24 x 120	1
06912 8800 24 130	M 24 x 130	1
06912 8800 24 140	M 24 x 140	1
06912 8800 24 150	M 24 x 150	1
06912 8800 24 160	M 24 x 160	1
06912 8800 24 180	M 24 x 180	1
06912 8800 24 200	M 24 x 200	1
06912 8800 30 40	M 30 x 40	1
06912 8800 30 50	M 30 x 50	1
06912 8800 30 55	M 30 x 55	1
06912 8800 30 60	M 30 x 60	1
06912 8800 30 65	M 30 x 65	1
06912 8800 30 70	M 30 x 70	1
06912 8800 30 80	M 30 x 80	1
06912 8800 30 90	M 30 x 90	1

Винт с ниска глава, DIN 6912, 8.8, ВІ.

DIN 6912

Форма:	-	Покритие:	Bl.
Материал:	въглеродна стомана	Задвижване:	ISW
Клас на якост:	8.8	Тип продукт:	складов



M	4	5	6	8	10	12	14	16	20	22	24	30	36	
dk	7	8,5	10	13	16	18	21	24	30	33	36	45	54	
k	2,8	3,5	4	5	6,5	7,5	8,5	10	12	13	14	17,5	21,5	
s	3	4	5	6	8	10	12	14	17	17	19	22	27	
b1	14	16	18	22	26	30	34	38	46	50	54	66	78	l≤125 mm - b1
b2	-	-	-	-	32	36	40	44	52	56	60	72	84	l>125 mm - b2
b3	-	-	-	-	-	-	-	57	65	69	73	85	97	l>200 mm - b3

* Всички размери са в милиметри /mm/!

Артикулен номер	Размер	Опаковка /бр./
06912 8800 30 100	M 30 x 100	1
06912 8800 30 110	M 30 x 110	1
06912 8800 30 120	M 30 x 120	1
06912 8800 30 130	M 30 x 130	1
06912 8800 30 140	M 30 x 140	1
06912 8800 30 150	M 30 x 150	1
06912 8800 30 160	M 30 x 160	1
06912 8800 30 180	M 30 x 180	1
06912 8800 36 60	M 36 x 60	1
06912 8800 36 70	M 36 x 70	1
06912 8800 36 80	M 36 x 80	1
06912 8800 36 100	M 36 x 100	1
06912 8800 36 110	M 36 x 110	1
06912 8800 36 120	M 36 x 120	1
06912 8800 36 130	M 36 x 130	1

Артикулен номер	Размер	Опаковка /бр./