




0990 HSS-CO DIN 338 RN COBALT STAINLESS STEEL DRILL BITS

Premium HSS drill bit for the toughest Jobs in stainless steel and metal.



- ✓ Unbeatable in high-alloy steel and stainless steel - the perfect solution for the most challenging drilling
- ✓ Made of **special HSS steel with 5% cobalt** for extremely long life
- ✓ **Pinpoint centring** thanks to split point grinding and 135° point angle
- ✓ Precision tool as per DIN 338 RN for **outstanding dimensional accuracy** of the hole
- ✓ **Excellent concentricity** as per DIN 1414



★★★

Sheet metal



★★★

Non-ferrous metals



★★★

Steel



★★★

Stainless steel



★★★

Iron



★★★

Cast iron





21221 2	1	-	12	34	1
21222 9	1.5	-	18	40	1
21223 6	2	-	24	49	1
21224 3	2.5	M3	30	57	1
21225 0	3	-	33	61	1
21226 7	3.2	-	36	65	1
21227 4	3.3	M4	36	65	1
21228 1	3.5	-	39	70	1
21229 8	4	-	43	75	1
21230 4	4.2	M5	43	75	1
21231 1	4.5	-	47	80	1
21232 8	4.8	-	52	86	1
21233 5	5	M6	52	86	1
21234 2	5.5	-	57	93	1
21235 9	6	M7	57	93	1
21236 6	6.5	-	63	101	1
21237 3	7	-	69	109	1
21238 0	7.5	-	69	109	1
21239 7	8	-	75	117	1
21240 3	8.5	M10	75	117	1
21241 0	9	-	81	125	1
21242 7	9.5	M11	81	125	1
21243 4	10	-	87	133	1
21244 1	10.5	-	87	133	1
21245 8	11	-	94	142	1
21246 5	11.5	-	94	142	1
21247 2	12	M14	101	151	1
21248 9	12.5	-	101	151	1
21249 6	13	-	101	151	1



21257 1	1.6	M2	20	43	10
21258 8	1.7	-	20	43	10
21259 5	1.8	-	22	46	10
21260 1	1.9	-	22	46	10
21261 8	2	-	24	49	10
21262 5	2.1	-	24	49	10
21263 2	2.2	-	27	53	10
21264 9	2.3	-	27	53	10
21265 6	2.4	-	30	57	10
21266 3	2.5	M3	30	57	10
21267 0	2.6	-	30	57	10
21268 7	2.7	-	33	61	10
21269 4	2.8	-	33	61	10
21270 0	2.9	-	33	61	10
21271 7	3	-	33	61	10
21272 4	3.1	-	36	65	10
21273 1	3.2	-	36	65	10
21274 8	3.3	M4	36	65	10
21275 5	3.4	-	39	70	10
21276 2	3.5	-	39	70	10
21277 9	3.6	-	39	70	10
21278 6	3.7	-	39	70	10
21279 3	3.8	-	43	75	10
21280 9	3.9	-	43	75	10
21281 6	4	-	43	75	10
21282 3	4.1	-	43	75	10
21283 0	4.2	M5	43	75	10
21284 7	4.3	-	47	80	10
21285 4	4.4	-	47	80	10
21286 1	4.5	-	47	80	10
21287 8	4.6	-	47	80	10
21288 5	4.7	-	47	80	10
21289 2	4.8	-	52	86	10
21290 8	4.9	-	52	86	10
21291 5	5	M6	52	86	10
21292 2	5.1	-	52	86	10
21293 9	5.2	-	52	86	10
21294 6	5.3	-	52	86	10
21295 3	5.4	-	57	93	10
21296 0	5.5	-	57	93	10
21297 7	5.6	-	57	93	10

QUADROPACKS




21251 9	1	-	12	34	10
21252 6	1.1	-	14	36	10
21253 3	1.2	-	16	38	10
21254 0	1.3	-	16	38	10
21255 7	1.4	-	18	40	10
21256 4	1.5	-	18	40	10

					
21298 4	5.7	-	57	93	10
21299 1	5.8	-	57	93	10
21300 4	5.9	-	57	93	10
21301 1	6	M7	57	93	10
21302 8	6.1	-	63	101	10
21303 5	6.2	-	63	101	10
21304 2	6.3	-	63	101	10
21305 9	6.4	-	63	101	10
21306 6	6.5	-	63	101	10
21307 3	6.6	-	63	101	10
21308 0	6.7	-	63	101	10
21309 7	6.8	M8	69	109	10
21310 3	6.9	-	69	109	10
21311 0	7	-	69	109	10
21312 7	7.1	-	69	109	10
21313 4	7.2	-	69	109	10
21314 1	7.3	-	69	109	10
21315 8	7.4	-	69	109	10
21316 5	7.5	-	69	109	10
21317 2	7.6	-	75	117	10
21318 9	7.7	-	75	117	10
21319 6	7.8	M9	75	117	10
21320 2	7.9	-	75	117	10
21321 9	8	-	75	117	10
21322 6	8.1	-	75	117	10
21323 3	8.2	-	75	117	10
21324 0	8.3	-	75	117	10
21325 7	8.4	-	75	117	10
21326 4	8.5	M10	75	117	10
21327 1	8.6	-	81	125	10
21328 8	8.7	-	81	125	10
21329 5	8.8	-	81	125	10
21330 1	8.9	-	81	125	10
21331 8	9	-	81	125	10
21332 5	9.1	-	81	125	10
21333 2	9.2	-	81	125	10
21334 9	9.3	-	81	125	10
21335 6	9.4	-	81	125	10
21336 3	9.5	M11	81	125	10
21337 0	9.6	-	87	133	10
21338 7	9.7	-	87	133	10

					
21339 4	9.8	-	87	133	10
21340 0	9.9	-	87	133	10
21341 7	10	-	87	133	10
21342 4	10.2	M12	87	133	5
21343 1	10.5	-	87	133	5
21344 8	11	-	94	142	5
21345 5	11.5	-	94	142	5
21346 2	12	M14	101	151	5
21347 9	12.5	-	101	151	5
21348 6	13	-	101	151	5
23848 9	14	M16	108	160	5
23849 6	16	-	120	178	5

SETS

		
17735 1	Ø 2/3/4/5/6/8	6
21962 4	Ø 1/1,5/2/2,5/3,,,8,5/9/9,5/10	19
21965 5	Ø 1/1,5/2/2,5/3,,,12/12,5/13	25
26602 4	Ø 6/6,1/6,2,,,9,8/9,9/10	41
26604 8	Ø 1/1,1/1,2,,,5,7/5,8/5,9	50






0950 HSS TIN DIN 338 STEEL DRILL BITS

Titanium nitride coated premium steel drill bits.



- ✓ **Particularly long service life and great drilling performance** thanks to titanium coating
- ✓ **In special HSS quality** for a long service life
- ✓ **Split point grinding and 135° point angle** for optimum centring during spot drilling
- ✓ **Precision tool as per DIN 338 RN** for outstanding dimensional accuracy of the hole
- ✓ **Excellent concentricity** as per DIN 1414
- ✓ **Applications:** Steel (alloy and non alloy), iron, castings, sheet metal, non-ferrous metals, plastics, steel and cast steel up to 1400 N/mm² strength



Sheet metal



Non-ferrous metals



Iron



Cast iron



Stainless steel



Steel



Stainless steel





29252 8	1	12	34	1
29253 5	1.5	18	40	1
29254 2	2	24	49	1
29255 9	2.5	30	57	1
29256 6	3	33	61	1
29257 3	3.2	36	65	1
29258 0	3.3	36	65	1
29259 7	3.5	39	70	1
29260 3	4	43	75	1
29261 0	4.2	43	75	1
26262 7	4.5	47	80	1
29263 4	4.8	52	86	1
29264 1	5	52	86	1
29265 8	5.5	57	93	1
29266 5	6	57	93	1
29267 2	6.5	63	101	1
29268 9	7	69	109	1
29269 6	7.5	69	109	1
29270 2	8	75	117	1
29271 9	8.5	75	117	1
29272 6	9	81	125	1
29273 3	9.5	81	125	1
29274 0	10	87	133	1
29275 7	10.5	87	133	1
29276 4	11	94	142	1
29277 1	11.5	94	142	1
29278 8	12	101	151	1
29279 5	12.5	101	151	1
29280 1	13	101	151	1

QUADROPACKS



29281 8	1	12	34	10
29282 5	1.5	18	40	10
29283 2	2	24	49	10
29284 9	2.5	30	57	10
29285 6	3	33	61	10
29286 3	3.2	36	65	10
29287 0	3.3	36	65	10
29288 7	3.5	39	70	10
29289 4	4	43	75	10
29290 0	4.2	43	75	10
29291 7	4.5	47	80	10
29292 4	4.8	52	86	10
29293 1	5	52	86	10
29294 8	5.5	57	93	10
29295 5	6	57	93	10
29296 2	6.5	63	101	10
29297 9	7	69	109	10
29298 6	7.5	69	109	10
29299 3	8	75	117	10
29300 6	8.5	75	117	10
29301 3	9	81	125	10
29302 0	9.5	81	125	10
29303 7	10	87	133	10
29304 4	10,5	87	133	5
29305 1	11	94	142	5
29306 8	11.5	94	142	5
29307 5	12	101	151	5
29308 2	12.5	101	151	5
29309 9	13	101	151	5





0906 HSS-G TURBO DIN 338 RN METAL DRILL BITS

Ground precision drill bit for challenging drilling in metal and steel.



- ✓ **Drilling without centring** For extremely precise holes
- ✓ **HSS-G quality** for a **long service life**
- ✓ **Aggressive, self-centering W tip**
- ✓ **Fully ground helix design**
- ✓ **Virtually burr-free, extremely precise and perfectly circular holes**
- ✓ **Great results, also in thin steel sheets**
- ✓ **Quick drilling progress**
- ✓ **Ideal for cordless drills or box column drills**





28630 5	3	33	61	1
28631 2	3.2	36	65	1
28632 9	3.3	36	65	1
28633 6	3.5	39	70	1
28634 3	4	43	75	1
28635 0	4.2	43	75	1
28636 7	4.5	47	80	1
28637 4	4.8	52	86	1
28638 1	5	52	86	1
28639 8	5.5	57	93	1
28640 4	6	57	93	1
28641 1	6.5	63	101	1
28642 8	7	69	109	1
28643 5	7.5	69	109	1
28644 2	8	75	117	1
28645 9	8.5	75	117	1
28646 6	9	81	125	1
28647 3	9.5	81	125	1
28648 0	10	87	133	1
28649 7	10.5	87	133	1
28650 3	11	94	142	1
28651 0	11.5	94	142	1
28652 7	12	101	151	1
28653 4	12.5	101	151	1
28654 1	13	101	151	1

SETS



28706 7	Ø 1-10 mm	19
28707 4	Ø 1-13 mm	25
28818 7	Ø 3/4/5/6/8	5





0900 HSS-G SUPER DIN 338 RN STEEL DRILL BITS

High-quality drill bit for alloyed and unalloyed steels.



- ✓ Highly-precise and durable with best finish in metal
- ✓ Precision ground as per DIN 338 RN for outstanding dimensional accuracy of the drilled hole
- ✓ Split point grinding and 135° point angle for optimum centring during spot drilling
- ✓ Excellent concentricity as per DIN 1414

METAL DRILL BITS



Cast iron



Sheet metal



Iron



Non-ferrous metals



Steel



				
17760 3	1	12	34	2
17761 0	1.5	18	40	2
17762 7	2	24	49	2
17763 4	2.5	30	57	2
17764 1	3	33	61	2
17765 8	3.2	36	65	2
17766 5	3.3	36	65	2
17767 2	3.5	39	70	2
17768 9	4	43	75	1
17769 6	4.2	43	75	1
17770 2	4.5	47	80	1
17771 9	4.8	52	86	1
17772 6	5	52	86	1
17773 3	5.5	57	93	1
17774 0	6	57	93	1
17775 7	6.5	63	101	1
17776 4	7	69	109	1
17777 1	7.5	69	109	1
17778 8	8	75	117	1
17779 5	8.5	75	117	1
17780 1	9	81	125	1
17781 8	9.5	81	125	1
17782 5	10	87	133	1
17783 2	10.5	87	133	1
17784 9	11	94	142	1
17785 6	11.5	94	142	1
17786 3	12	101	151	1
17787 0	12.5	101	151	1
17788 7	13	101	151	1

QUADROPACKS

				
23022 3	0.2	-	3	19
23023 0	0.3	-	3	19
23024 7	0.4	-	5	20
23025 4	0.5	-	6	22
23026 1	0.6	-	7	24
23027 8	0.7	-	9	28
23028 5	0.8	M1	10	30
23029 2	0.9	-	11	32

				
21121 5	1	-	12	34
21122 2	1.1	-	14	36
21123 9	1.2	-	16	38
21124 6	1.3	-	16	38
21125 3	1.4	-	18	40
21126 0	1.5	-	18	40
21127 7	1.6	M2	20	47
21128 4	1.7	-	20	43
21129 1	1.8	-	22	46
21130 7	1.9	-	22	46
21131 4	2	-	24	49
21132 1	2.1	-	24	49
21133 8	2.2	-	27	53
21134 5	2.3	-	27	53
21135 2	2.4	-	30	57
21136 9	2.5	M3	30	57
21137 6	2.6	-	30	57
21138 3	2.7	-	33	61
21139 0	2.8	-	33	61
21140 6	2.9	-	33	61
21141 3	3	-	33	61
21142 0	3.1	-	36	65
21143 7	3.2	-	36	65
21144 4	3.3	M4	36	65
21145 1	3.4	-	39	70
21146 8	3.5	-	39	70
21147 5	3.6	-	39	70
21148 2	3.7	-	39	70
21149 9	3.8	-	43	75
21150 5	3.9	-	43	75
21151 2	4	-	43	75
21152 9	4.1	-	43	75
21153 6	4.2	M5	43	75
21154 3	4.3	-	47	80
21155 0	4.4	-	47	80
21156 7	4.5	-	47	80
21157 4	4.6	-	47	80
21158 1	4.7	-	47	80
21159 8	4.8	-	52	86
21160 4	4.9	-	52	86
21161 1	5	M6	52	86



21162 8	5.1	-	52	86	10
21163 5	5.2	-	52	86	10
21164 2	5.3	-	52	86	10
21165 9	5.4	-	57	93	10
21166 6	5.5	-	57	93	10
21167 3	5.6	-	57	86	10
21168 0	5.7	-	57	93	10
21169 7	5.8	-	57	93	10
21170 3	5.9	-	57	93	10
21171 0	6	M7	57	93	10
21172 7	6.1	-	63	101	10
21173 4	6.2	-	63	101	10
21174 1	6.3	-	63	101	10
21175 8	6.4	-	63	101	10
21176 5	6.5	-	63	101	10
21177 2	6.6	-	63	101	10
21178 9	6.7	-	63	101	10
21179 6	6.8	M8	69	109	10
21180 2	6.9	-	69	109	10
21181 9	7	-	69	109	10
21182 6	7.1	-	69	109	10
21183 3	7.2	-	69	109	10
21184 0	7.3	-	69	109	10
21185 7	7.4	-	69	109	10
21186 4	7.5	-	69	109	10
21187 1	7.6	-	75	117	10
21188 8	7.7	-	75	117	10
21189 5	7.8	M9	75	117	10
21190 1	7.9	-	75	117	10
21191 8	8	-	75	117	10
21192 5	8.1	-	75	117	10
21193 2	8.2	-	75	117	10
21194 9	8.3	-	75	117	10
21195 6	8.4	-	75	117	10
21196 3	8.5	M10	75	117	10
21197 0	8.6	-	81	125	10
21198 7	8.7	-	81	125	10
21199 4	8.8	-	81	125	10
21200 7	8.9	-	81	125	10
21201 4	9	-	81	125	10




21202 1	9.1	-	81	125	10
21203 8	9.2	-	81	125	10
21204 5	9.3	-	81	125	10
21205 2	9.4	-	81	125	10
21206 9	9.5	M11	81	125	10
21207 6	9.6	-	87	133	10
21208 3	9.7	-	87	133	10
21209 0	9.8	-	87	133	10
21210 6	9.9	-	87	133	10
21211 3	10	-	87	133	10
21212 0	10.2	M12	87	133	5
21213 7	10.5	-	87	133	5
21214 4	11	-	94	142	5
21216 8	11.5	-	94	142	5
21217 5	12	M14	101	151	5
21219 9	12.5	-	101	151	5
21220 5	13	-	101	151	5
25734 3	13.5	-	108	160	5
25736 7	14	M16	108	160	5

SETS



17731 3	Ø 2/3/4/5/6/8	6
17733 7	Ø 2/2,5/3/3,5,,,7/7,5/8	13
21961 7	Ø 1/1,5/2/2,5,,,9/9,5/10	19
21964 8	Ø 1/1,5/2/2,5,,,12/12,5/13	25
26598 0	Ø 6/6,1/6,2,,,9,8/9,9/10	41
26600 0	Ø 1/1,1/1,2,,,5,7/5,8/5,9	50






0901 HSS-R DIN 338 RN STEEL DRILL BITS

Proven steel drill bits with Heller quality.



- ✓ The classic choice for **daily solutions in metal**. Ideal for unalloyed steels
- ✓ Reliable, **rolled HSS drill** bit with continuous helix hardness
- ✓ Wire edge at the outside of the taper removed with a point angle of 118° to enable a **long service life**
- ✓ **Precision tool** as per DIN 338 RN



Sheet metal



Non-ferrous metals



Iron



Cast iron



You will find this product on page 39/40/41 of the price list.

heller

101



17790 0	1	-	12	34	3
17791 7	1.5	-	18	40	3
17792 4	2	-	24	49	3
17793 1	2.5	M3	30	57	2
17794 8	3	-	33	61	2
17795 5	3.2	-	36	65	2
17796 2	3.3	M4	36	65	2
17797 9	3.5	-	39	70	2
17798 6	4	-	43	75	2
17799 3	4.2	M5	43	75	2
17800 6	4.5	-	47	80	2
17801 3	4.8	-	52	86	2
17802 0	5	M6	52	86	2
17803 7	5.5	-	57	93	2
17804 4	6	M7	57	93	2
17805 1	6.5	-	63	101	1
17806 8	7	M8	69	109	1
17807 5	7.5	-	69	109	1
17808 2	8	-	75	117	1
17809 9	8.5	M10	75	117	1
17810 5	9	-	81	125	1
17811 2	9.5	M11	81	125	1
17812 9	10	-	87	133	1
17813 6	10.5	-	87	133	1
17814 3	11	-	94	142	1
17815 0	11.5	-	94	142	1
17816 7	12	M14	101	151	1
17817 4	12.5	-	101	151	1
17818 1	13	-	101	151	1



18458 8	1.8	-	22	46	10
18459 5	1.9	-	22	46	10
18460 1	2	-	24	49	10
18461 8	2.1	-	24	49	10
18462 5	2.2	-	27	53	10
18463 2	2.3	-	27	53	10
18464 9	2.4	-	30	57	10
18465 6	2.5	M3	30	57	10
18466 3	2.6	-	30	57	10
18467 0	2.7	-	33	61	10
18468 7	2.8	-	33	61	10
18469 4	2.9	-	33	61	10
18470 0	3	-	33	61	10
18471 7	3.1	-	36	65	10
18472 4	3.2	-	36	65	10
18473 1	3.3	M4	36	65	10
18474 8	3.4	-	39	70	10
18475 5	3.5	-	39	70	10
18476 2	3.6	-	39	70	10
18477 9	3.7	-	39	70	10
18478 6	3.8	-	43	75	10
18479 3	3.9	-	43	75	10
18480 9	4	-	43	75	10
18481 6	4.1	-	43	75	10
18482 3	4.2	M5	43	75	10
18483 0	4.3	-	47	80	10
18484 7	4.4	-	47	80	10
18485 4	4.5	-	47	80	10
18486 1	4.6	-	47	80	10
18487 8	4.7	-	47	80	10
18488 5	4.8	-	52	86	10
18489 2	4.9	-	52	86	10
18490 8	5	M6	52	86	10
18491 5	5.1	-	52	86	10
18492 2	5.2	-	52	86	10
18493 9	5.3	-	52	86	10
18494 6	5.4	-	57	93	10
18495 3	5.5	-	57	93	10
18496 0	5.6	-	57	93	10
18497 7	5.7	-	57	93	10
18498 4	5.8	-	57	93	10
18499 1	5.9	-	57	93	10
18500 4	6	M7	57	93	10
18501 1	6.1	-	63	101	10

QUADROPACKS



18450 2	1	-	12	34	10
18451 9	1.1	-	14	36	10
18452 6	1.2	-	16	38	10
18453 3	1.3	-	16	38	10
18454 0	1.4	-	18	40	10
18455 7	1.5	-	18	40	10
18456 4	1.6	M2	20	43	10
18457 1	1.7	-	20	43	10

					
18502 8	6.2	-	63	101	10
18503 5	6.3	-	63	101	10
18504 2	6.4	-	63	101	10
18505 9	6.5	-	63	101	10
18506 6	6.6	-	63	101	10
18507 3	6.7	-	63	101	10
18508 0	6.8	M8	69	109	10
18509 7	6.9	-	69	109	10
18510 3	7	-	69	101	10
18511 0	7.1	-	69	109	10
18512 7	7.2	-	69	109	10
18513 4	7.3	-	69	109	10
18514 1	7.4	-	69	109	10
18515 8	7.5	-	69	109	10
18516 5	7.6	-	75	117	10
18517 2	7.7	-	75	117	10
18518 9	7.8	M9	75	117	10
18519 6	7.9	-	75	117	10
18520 2	8	-	75	117	10
18521 9	8.1	-	75	117	10
18522 6	8.2	-	75	117	10
18523 3	8.3	-	75	117	10
18524 0	8.4	-	75	117	10
18525 7	8.5	M10	75	117	10
18526 4	8.6	-	81	125	10
18527 1	8.7	-	81	125	10
18528 8	8.8	-	81	125	10
18529 5	8.9	-	81	125	10
18530 1	9	-	81	125	10
18531 8	9.1	-	81	125	10
18532 5	9.2	-	81	125	10
18533 2	9.3	-	81	125	10
18534 9	9.4	-	81	125	10
18535 6	9.5	M11	81	125	10
18536 3	9.6	-	87	133	10
18537 0	9.7	-	87	133	10
18538 7	9.8	-	87	133	10
18539 4	9.9	-	87	133	10
18540 0	10	-	87	133	10
18541 7	10.2	M12	87	133	5
18542 4	10.5	-	87	133	5
18544 8	11	-	94	142	5
18546 2	11.5	-	94	142	5
18548 6	12	M14	101	151	5

					
18550 9	12.5	-	101	151	5
18552 3	13	-	101	151	5
18554 7	13.5	-	108	160	5
18556 1	14	M16	108	160	5
18558 5	14.5	-	114	169	5
18560 8	15	-	114	169	5
18562 2	15.5	M18	120	178	5
18564 6	16	-	120	178	5

SETS

			
*1	17732 0	Ø 2/3/4/5/6/8	6
*2	17734 4	Ø 2/2,5/3/3,5,,,7/7,5/8	13
*3	17737 5	Ø 1/1,5/2/2,5/3,,,9/9,5/10	19
*4	18371 0	Ø 1/1,5/2/2,5/3,,,12/12,5/13	25



901/44 QUADROPACK STEEL DRILL BITS DIMENSIONS IN INCHES



23255 5	1/16"	-	20	43	10
23256 2	5/64"	-	24	49	10
23257 9	3/32"	-	30	57	10
23258 6	7/64"	-	33	61	10
23260 9	9/64"	-	36	70	10
23259 3	1/8"	-	36	65	10
23261 6	5/32"	-	43	75	10
23262 3	11/64"	-	47	80	10
23263 0	3/16"	-	52	86	10
23264 7	13/64"	-	52	86	10
23266 1	15/64"	-	57	93	10
23265 2	7/32"	-	57	93	10
23267 8	1/4"	-	63	101	10
23270 8	19/64"	-	69	109	10
23268 5	17/64"	-	69	109	10
23269 2	9/32"	-	69	109	10
23272 2	21/64"	-	75	117	10
23271 5	5/16"	-	75	117	10
50130 9	23/64"	-	81	125	10
23273 9	11/32"	-	81	125	10
23275 3	3/8"	-	87	133	10
18044 3	13/32"	-	87	133	10
23279 1	7/16"	-	94	142	5
50132 3	27/64"	-	94	142	5
50133 0	29/64"	-	94	142	5
50134 7	31/64"	-	101	151	5
23281 4	15/32"	-	101	151	5
18045 0	1/2"	-	101	151	5