


048 Ringschrauben – mit metrischem Gewinde

Pitons à vis – filetage métaux

Screw Eyes – metric thread




Code		Ø mm	A mm	B mm	C mm	D mm							kg
													100
verzinkt - zingué - zinc plated													
048.02.01003.1020	48/M3x10	2,6	10	5	8	20						100	0,140
048.02.01004.1020	48/M4x10	3,5	10	6	8	23						100	0,270
048.02.01005.1020	48/M5x10	4,4	10	8	8	27						100	0,550
048.02.01006.1020	48/M6x10	5,2	10	10	8	30						100	0,950
048.02.02003.1020	48/M3x20	2,6	20	5	18	30						100	0,170
048.02.02004.1020	48/M4x20	3,5	20	6	18	33						100	0,360
048.02.02005.1020	48/M5x20	4,4	20	8	18	37						100	0,670
048.02.02006.1020	48/M6x20	5,2	20	10	18	40						100	1,070
048.02.02008.1020	48/M8x20	7,0	20	12	18	46						100	2,360
048.02.02504.1020	48/M4x25	3,5	25	6	23	38						100	0,380
048.02.02506.1020	48/M6x25	5,2	25	10	23	45						100	1,170
048.02.02508.1020	48/M8x25	7,0	25	12	23	51						100	2,470
048.02.03004.1020	48/M4x30	3,5	30	6	28	43						100	0,420
048.02.03005.1020	48/M5x30	4,4	30	8	28	47						100	0,800
048.02.03006.1020	48/M6x30	5,2	30	10	28	50						100	1,250
048.02.03008.1020	48/M8x30	7,0	30	12	28	56						100	2,670
048.02.03010.1020	48/M10x30	8,8	30	14	28	61						100	4,800
048.02.04004.1020	48/M4x40	3,5	40	6	38	53						100	0,490
048.02.04005.1020	48/M5x40	4,4	40	8	38	57						100	0,900
048.02.04006.1020	48/M6x40	5,2	40	10	38	60						100	1,390
048.02.04008.1020	48/M8x40	7,0	40	12	38	66						100	2,930
048.02.04010.1015	48/M10x40	8,8	40	14	38	72						50	5,140
048.02.05005.1020	48/M5x50	4,4	50	8	48	67						100	1,030
048.02.05006.1020	48/M6x50	5,2	50	10	48	70						100	1,540
048.02.05008.1020	48/M8x50	7,0	50	12	48	76						100	3,260
048.02.06006.1020	48/M6x60	5,2	60	10	59	80						100	1,700
048.02.06008.1020	48/M8x60	7,0	60	12	58	86						100	3,540
048.02.06010.1015	48/M10x60	8,8	60	14	58	92						50	6,120
048.02.08008.1015	48/M8x80	7,0	80	12	78	106						50	4,120
048.02.08010.1015	48/M10x80	8,8	80	14	78	112						50	7,100
048.02.10008.1015	48/M8x100	7,0	100	12	76	126						50	4,780
048.02.10010.1015	48/M10x100	8,8	100	14	80	132						50	7,900

048 Ringschrauben – mit metrischem Gewinde

Pitons à vis – filetage métaux

Screw Eyes – metric thread




Code		Ø mm	A mm	B mm	C mm	D mm						 kg 100	
rostfrei V2A - inox - stainless													
048.02.02005.5015	V2A 48/M5x20	4,4	20	8	18	37						50	0,700
048.02.02006.5015	V2A 48/M6x20	5,2	20	10	18	40						50	1,100
048.02.03005.5015	V2A 48/M5x30	4,4	30	8	28	46						50	0,780
048.02.03006.5015	V2A 48/M6x30	5,2	30	10	28	50						50	1,200
048.02.04005.5015	V2A 48/M5x40	4,4	40	8	38	57						50	0,900
048.02.04006.5015	V2A 48/M6x40	5,2	40	10	38	59						50	1,410
048.02.04008.5015	V2A 48/M8x40	7,0	40	12	38	65						50	3,000
048.02.05005.5015	V2A 48/M5x50	4,4	50	8	49	66						50	1,030
048.02.05006.5015	V2A 48/M6x50	5,2	50	10	48	70						50	1,500
048.02.05008.5015	V2A 48/M8x50	7,0	50	12	46	76						50	3,290
048.02.06006.5015	V2A 48/M6x60	5,2	60	10	56	79						50	1,720

048 Ringschrauben – mit verschweisstem Auge – mit metrischem Gewinde

Pitons à vis – oeil soudée – filetage métaux

Screw Eyes – with welded eye – metric thread



Code		Ø	A	B	C	D							kg
		mm	mm	mm	mm	mm							100
gelb passiviert - bichromaté - yellow plated													
048.12.08508.1115	48/M8x85	7,0	85	25	83	125					50	5,600	
048.12.09510.1115	48/M10x95	8,8	95	26	90	140					50	9,800	
048.12.11312.1113	48/M12x113	10,6	113	26	108	160					25	15,800	